

This catalog is dedicated to the lives and land of those we serve.



04 INTRO

- 5 Our Roots Run Deep
- 7 It Starts With Seed

9 HAY + PASTURE

- **10** Planting Grass
- **11** Hay + Pasture Product Selector
- 12 Hay+ Pasture Product Guide
- **16** Forage Grasses Guide
- 17 Forage Broadleaves + Legumes Guide

19 ALFALFA

- 20 Planting Alfalfa
- 21 Alfalfa Product Selector
- 22 Alfalfa Product Guide
- 23 Specialty Alfalfa Product Guide

29 ANNUAL FORAGES

- **30** Planting Forages
- 31 Annual Forage Product Selector
- 32 Cool-Season Annual Forage Guide
- 34 Warm-Season Annual Forage Guide
- **36** Winter Annual Forage Guide
- 37 Forage Fertility Guide

39 SILEGUARD

41 GRAINS

42 Small Grain Product + Fertility Guide

45 COVER CROPS

- 46 Planting Cover Crops
- 47 Cover Crop Product Selector
- 48 Cover Crop Product Guide
- 56 Designing Custom Cover Crop Mixes
- 58 Cover Crop Reference Guide

61 CONSERVATION

- 62 Conservation Made Simple
- 64 Establish a Successful Stand
- 66 Planting Native Grasses
- 67 Conservation Herbicide Guide
- 68 Native Grasses Guide
- 70 Wildflowers & Woody Plants Guide

74 MILLBORN NATIVE MIXES

76 Native Mix Product Guide

89 PRIMAL FOOD PLOTS

- 90 Planting Food Plots
- 91 Upland Game Product Guide
- 96 Big Game Product Selector
- 97 Big Game Product Guide
- 104 Food Plot Fertility Guide
- **105** Food Plot Herbicide Guide

107 TURF

- **108** Planting Turf
- **109** Turf Product Selector
- **110** Turf Product Guide
- **111** Beautiful Lawns Made Simple
- **121** Erosion Control Product Guide
- **122** Fertilizer Made Simple.
- **123** Chemical + Fertilizer Product Guide

125 COMMERCIAL

128 Commercial Product Guide

131 SWEET CORN



ALEX GUTTORMSSON Forage + Cover Crop Specialist



BEN BURRIS Chief Operating Officer



DALLAS CORCORAN



BONNIE TONSAGER Sales Support Lead + HR



COLIN GEPPERT Forage + Cover Crop Specialist



JAMIE TONJUM Sales Support



COURTNEY SCHLOBOHM Director of Marketing



JARED KNOCK **Business Development**



CRAIG OLSON

Warehouse Foreman

JASON TRONBAK Native Product Manager



JON HEALY Commercial Product Manager






JUSTIN PEDERSON Conservation + Wildlife Specialist



KAITEE WHITE Purchasing Agent



KAREN LANGLAND Accounting Specialist



LAURA SHOUP Sales Support



JUSTIN FRUECHTE

Director of Sales

MARCUS HEEMSTRA Chief Financial Officer



MATT METZGER Forage + Cover Crop Specialist Black Hawk



MATT FENSKE President + CEO



MERIDITH WEILAND Executive Assistant



PATRICK PETERSON Production Engineer + Coordinator



WALKER SIK Grain + Forage Product Manager

OUR ROOTS RUN DEEP.

It's no secret that a robust root structure helps vegetation grow durable, resilient, and productive. As a team, we find it's no different. Our roots were planted in 1987. Since then, we have walked hundreds of thousands of acres alongside farmers, landowners, ranchers, and contractors — all the while growing larger, stronger, and more powerful as a close-knit team of seed professionals. We're still at it today, and we plan on growing with you into future generations.

The Millborn team comes to work every day with one thing in mind — being geared up for the next challenge that presents itself. In today's agricultural climate, it's essential to drive towards solutions.

That's why we're excited and grateful to have an opportunity to be on your team. Whether your needs and challenges are daunting or straightforward, we're here and ready to deliver.

We continually invest in the industry's most sophisticated tools to be in a position to say "yes we can" when time is critical. It's the very reason we can deliver intelligent, proven seed solutions that impact acres.

Thank you for trusting in our team. Let's plant some new roots this season!

TEAM MILLBORN









IT STARTS WITH SEED.

Our team is comprised of specialists who are continuously aligning themselves with the most current information, processes, and insight. To you, that means collaborating with a professional team who can help you achieve healthier establishment, more vibrant growth, and stronger returns on your seed investment.

We value working hard, working smart, working for you. Every customer, every order means more than seed to us. We know by the time each specialist has worked closely with you to formulate a genuinely custom seed plan, that's merely the beginning of the "growing" process. Our operations, processing, blending, logistics, and accounting teams spend sun up to well past sundown to ensure your customized seed plan arrives on time and on target.

Millborn has one of the most sophisticated logistics systems to help deliver on our "as fast as you need it" delivery promise. The expert team of seed mixologists, coupled with over a thousand different products, allows us to push your project through from start to finish and to your farm in a matter of hours if needed.

We know our products inside and out. And we're always researching processes that work powerfully with our premium seed. But every new phone call leads us to a brand new scenario and so, we'll listen intently. We'll use the insight from working with thousands of farmers and walking thousands of fields, to formulate a custom seed plan specific to your land, your field, and your operational goals.

Team Millborn seeks out leaders in the seed growing business. Leaders who value integrity so we can all benefit. Whatever it says on our label is what's inside the bag - guaranteed. And we put our money where our claim is. We conduct precise and thorough testing of all our seed, ultimately delivering you only the highest quality seed.



HAY + PASTURE

When establishing perennial forage for pasture or hay, be sure to consider all of the variables involved in these projects. Growing conditions and intended use are the main factors that affect the species and variety selection to ensure long-lasting productivity.

Our hay and pasture mixes will provide solutions for a range of goals and growing conditions. We also keep hundreds of different individual species and varieties available, and are happy to assist you in designing custom blends for your specific project and seeding plan.

PLANTING GRASS

PLANTING METHOD

Drilling grass into a firm seedbed at a shallow depth of $\frac{1}{4}$ "- $\frac{1}{2}$ " is the best way to quickly establish a stand. Grass seed can also be broadcast and rolled or packed to gain seed to soil contact. Most grass species are very small seeded, so planting too deep can result in stand failure.

PLANTING TIME

Spring planting of grasses can be done as early as the field is ready. Cool-season grasses can also be planted early in the fall, 4–6 weeks before the first hard frost. This allows them to germinate and establish before winter. Both warm and cool-season grasses can also be dormant seeded late in the fall or winter once temperatures are cold enough so that germination won't be possible until spring.


WEED CONTROL

If you are only planting grasses, there are many broadleaf herbicides suitable for chemical weed control during the seeding year and throughout the life of the stand. If there are legumes or other broadleaves in the mix, chemical weed control options are very limited. Cutting the field for hay will likely be the best weed control option. Contact us or your chemical representative for specific product recommendations.

FIRST YEAR MANAGEMENT

Generally, new grass seedings should not be grazed during the seeding year. Cutting newly seeded grass after about 60–75 days of growth will help control annual weeds and stimulate grasses to tiller, which thickens the stand. Evaluate the seeding after it has gone through the majority of it's first growing season and plan future grazing or haying according to stand health.

HAY & PASTURE PRODUCT SELECTOR



HAY & PASTURE PRODUCT GUIDE

	BEST USE	Seeding Rate/Acre	SEEDING DEPTH	VIELD	Ο Ο Ο Ο Ο Ο Ο Ο Ο Ο Ο Ο Ο Ο Ο Ο Ο Ο Ο 	LONGEVITY	MIX RATIO	GROWER NOTES
#3 Hay & Pasture Mix™		25 lbs	1/4"- 1/2"	High	High	High	20% Late Maturing Orchardgrass 20% STF 43 Tall Forage Fescue 20% Meadow Brome 15% Perennial Ryegrass 15% Timothy 10% Meadow Fescue	 Highest yield and forage quality Ideal for fertile soils Highly suitable for grazing or multiple cuttings
Waterway Mix™		25 lbs	1/4"-1/2"	Avg	Avg	High	45% Brome 20% Tall Fescue 20% Perennial Ryegrass 15% Timothy	 Great for highly erodible areas Fast establishing
The Hamilton [™]	Irrigated	15 lbs	1/4"— 1/2"	Avg	Avg	High	25% Tall Wheatgrass 15% Intermediate Wheatgrass 15% Tall Fescue 15% Slender Wheatgrass 10% SalinityMax Alfalfa 10% Creeping Foxtail 10% Green Wheatgrass	 Designed for high salinity areas Suitable for haying or grazing in otherwise unproductive areas
Calving Pasture Mix™	Moderate Rainfall or Irrigated	25 lbs	1/4"- 1/2"	Low	Avg	High	30% Ginger Kentucky Bluegrass 20% STF 43 Tall Forage Fescue 20% Crested Wheatgrass 10% Perennial Ryegrass 10% Smooth Brome 10% Switchgrass	 Ideal for high hoof traffic areas Peak growth period matches spring calving season
Alfalfa Patcher	2	25 lbs	1/2"-3/4"	Avg	High	Low	60% Oats 20% Mammoth Red Clover 20% Italian Ryegrass	 Ideal for overseeding Use for a one year fix
Pasture Fix Mix [™]		Full rate: 25 lbs Overseed: 15 lbs	1/4''- 1/2''	Avg	High	Avg	25% Meadow Brome 25% Perennial Ryegrass 25% Tall Forage Fescue 20% Italian Ryegrass 5% Timothy	 Fast establishing in areas that have been destroyed by livestock Low maintenance grass for reliable cover
Select Horse Pasture Mix™		25 lbs	1/4"- 1/2"	Avg	High	Avg	30% Paiute Orchardgrass 25% Timothy 15% Meadow Brome 10% Crested Wheatgrass 10% Kentucky Bluegrass 10% Perennial Ryegrass	 Highly palatable grasses Handles close grazing habits of horses
Premium Dryland Pasture Mix	Low Rainfall Dryland	10–12 lbs	1/4''- 1/2''	High	Avg	High	35% Pubescent Wheatgrass 35% Intermediate Wheatgrass 20% Western Wheatgrass 10% Creeping Alfalfa	 Top performance on dryland Extremely drought hardy
Haymaker	Low Rainfi	10–12 lbs	1/4"- 1/2"	High	High	High	50% Alfalfa 35% Pubescent Wheatgrass 10% Paiute Orchardgrass 5% Western Wheatgrass	 Quality hay production Consistently produces in challenging dryland conditions

A great pasture starts with seedbed preparation. The soil should be free of weeds, clod free, and firm for optimum seed placement. Soil fertility should be measured by taking a soil sample and the proper application of fertilizer needs to be applied to match requirements.

ALFALFA PATCHER™

Ideal for fixing thin and bare spots in your alfalfa stand, seed Alfalfa Patcher[™] in the spring. This mix of annual species will provide fast growth to supplement yield from your thin stand. Season-long growth from the Alfalfa Patcher will be consistent yield and quality amongst your alfalfa. Use this for a one year fix to extend the productive life of alfalfa fields.

Seeding Rate: 25 lbs/acre

60% OATS 20% MAMMOTH RED CLOVER 20% ITALIAN RYEGRASS





THE HAMILTON™

The Hamilton[™] is a blend of cool-season grasses and alfalfa designed for areas of high salinity and pH. The grasses are extremely salt tolerant and our SalinityMax alfalfa has proven to handle these conditions as well. We have worked with producers facing saline issues for years and the best solution is to get perennial vegetation back on those soils. Grasses and alfalfa will establish root systems to help water infiltration and their perennial growth will cycle excess salts which over time can improve the quality of soil. The Hamilton is suitable for grazing or haying and performs well in otherwise unproductive areas.

Seeding Rate: 15 lbs/acre

25% TALL WHEATGRASS 15% INTERMEDIATE WHEATGRASS 15% TALL FESCUE 15% SLENDER WHEATGRASS 10% SALINITYMAX ALFALFA 10% CREEPING FOXTAIL 10% GREEN WHEATGRASS

#3 HAY & PASTURE MIX™

Our #3 Hay & Pasture Mix[™] is the top of the line pasture option for producers seeking the highest yield and forage quality from their grass. It is a diverse blend of the most productive cool-season grasses on the market and we use improved varieties to keep performance at the highest level possible. This blend will respond well to fertile soils and is well suited for grazing or multi-cut haying systems. #3 Hay and Pasture will perform best in areas of moderate to high rainfall, or drier regions under irrigation.

Seeding Rate: 25 lbs/acre

20% LATE MATURING ORCHARDGRASS 20% STF 43 TALL FORAGE FESCUE 20% MEADOW BROME 15% PERENNIAL RYEGRASS 15% TIMOTHY 10% MEADOW FESCUE



PREMIUM DRYLAND PASTURE MIX

Our Premium Dryland Pasture Mix is a blend of high-yielding, high-quality forage grasses and grazing alfalfa for top performance on dryland. It provides extremely drought hardy and long-lasting production for pasture or haying in the challenging conditions of western states.

Seeding Rate: 10–12 lbs/acre

35% PUBESCENT WHEATGRASS35% INTERMEDIATE WHEATGRASS20% WESTERN WHEATGRASS10% CREEPING ALFALFA





HAYMAKER

We designed Haymaker to consistently produce in challenging conditions. This high-yielding grass and alfalfa mixture is the epitome of hardiness combined with great forage quality for hay production on dryland acres.

Seeding Rate: 10–12 lbs/acre

50% ALFALFA 35% PUBESCENT WHEATGRASS 10% PAIUTE ORCHARDGRASS 5% WESTERN WHEATGRASS

FORAGE GRASSES PRODUCT GUIDE

SPECIES	FULL SEEDING RATE (LBS/ACRE)	SOIL CONDITIONS	GROWTH HABIT	VIELD	LONGEVITY
AC Saltlander	12	Saline	Sod Forming	4	5
Annual Ryegrass	25	Fertile	Bunch	4	1
(Garrison) Creeping Foxtail	5	Saturated	Sod Forming	4	4
Crested Wheatgrass	15	Dry	Bunch	3	5
Festulolium	25	Fertile	Bunch	5	3
Intermediate Wheatgrass	15	All	Sod Forming	5	5
Italian Ryegrass	30	Fertile	Bunch	5	1
(Forage) Kentucky Bluegrass	25	Fertile	Sod Forming	2	4
Meadow Brome	25	All	Bunch	5	4
Meadow Fescue	25	Fertile	Bunch	4	4
Orchardgrass	12	Fertile	Bunch	5	3
Perennial Ryegrass	30	Fertile	Bunch	3	2
Pubescent Wheatgrass	15	All	Sod Forming	5	5
Redtop	8	Saturated	Sod Forming	2	5
Reed Canarygrass	8	Saturated	Sod Forming	5	5
Smooth Bromegrass	25	All	Sod Forming	4	5
Tall Forage Fescue	25	All	Bunch	5	4
Tall Wheatgrass	15	Saline, Dry	Bunch	5	5
Timothy	8	Fertile	Bunch	3	3
All Native Grass Species also available					owest lighest

FORAGE BROADLEAVES & LEGUMES PRODUCT GUIDE

SPECIES	FULL SEEDING RATE (LBS/ACRE)	SOIL CONDITIONS	BLOAT POTENTIAL	YIELD	LONGEVITY
Alsike Clover	8	Wet	Yes	3	2
Birdsfoot Trefoil	6	Wet	No	3	4
Cicer Milkvetch	20	Dry	No	4	5
Forage Chicory	6	Fertile	No	3	3
Ladino White Clover	5	Fertile	Yes	4	3
Mammoth Red Clover	10	All	Yes	4	2
Medium Red Clover	10	All	Yes	4	2
Plantain	10	All	No	3	2
Sainfoin	40	Dry	No	5	5
White Sweet Clover	12	All	Yes	5	2
White Dutch Clover	5	All	Yes	2	3
Yellow Sweet Clover	12	All	Yes	5	2
All Native Grass Species					owest

also available

5 = Highest



ALFALFA

Without question, alfalfa is one of the most reliable sources of forage for producers. Its ability to withstand challenging growing conditions is surpassed only by native rangelands.

From seeding irrigated acres as an intensively managed forage crop, to improving the grazing production of a dryland pasture, there is a variety of alfalfa that will fit your needs. With hundreds of varieties on the market, we've determined which ones will work best for your production goals and strive to bring the top choice for each.

PLANTING ALFALFA

PLANTING METHOD

Alfalfa should be either drilled or broadcast onto a firm seedbed. If you are drilling alfalfa, shoot for a planting depth of $\frac{1}{4}$ "- $\frac{1}{2}$ ". If you are broadcasting alfalfa seed, rolling or packing the field after seeding will significantly help your stand by increasing seed to soil contact.

SEEDING RATE

Seeding rate on alfalfa can vary widely based on conditions. In good soil with adequate moisture, seeding rates should be 15–20 lbs/acre to establish a high population that will perform under more intensive management. For dry conditions, seeding rates of 10–15 lbs/acre will be more sufficient with less moisture to support a high population.

PLANTING TIME

Alfalfa can be successfully seeded in either the spring or early fall. Spring seedings should be done as soon as the field is fit, and the last danger of hard frost has passed. Fall seedings should be completed about 6 weeks before the first killing frost to allow the new plants to establish prior to winter.


WEED CONTROL

Controlling weeds prior to seeding alfalfa is very important. This can be done through tillage or chemical burndown of existing weeds immediately prior to seeding. In the seeding year, cutting alfalfa 60–75 days after planting provides control of annual weeds. In established alfalfa, there are numerous chemical options for weed control. Contact us or your chemical representative for site-specific recommendations.

NURSE CROPS

For spring seedings, it can be beneficial to plant a small grain nurse crop with alfalfa to provide weed and erosion control while the alfalfa gets established. Oats, Barley, and Spring Triticale are the most common nurse crops to use in this way. Fall seeded alfalfa usually faces reduced weed pressure, and a nurse crop provides less benefit.

ALFALFA PRODUCT SELECTOR



ALFALFA PRODUCT GUIDE

	FALL DORMANCY	WINTER SURVIVAL	VIELD LEVEL	FORAGE QUALITY	ROOT TYPE	GROWER NOTES
Millborn Prime Cut™ Low Lignin	4.2	1.8	10	Excellent	Тар	 Selected for lower lignin content Outstanding RFQ and digestible fiber scores High yield potential with great winter hardiness DRI: 33/35
Millborn Final Answer™	4.3	1.7	10	Very Good	Тар	 Alfalfa yield leader when using conventionally bred alfalfa Very fast harvest recovery An excellent choice for beef and dairy producers striving to boost alfalfa production and quality DRI: 35/35
L-442RR Roundup Ready	4.4	1.3	9	Very Good	Тар	 Roundup Ready[®] technology Great for getting weedy areas established Excellent yield and forage quality DRI: 35/35
Millborn SurvivorPlus™	3.5	1.9	8	Very Good	Тар	 Top performing blend Diversity ensures a great stand for a variety of situations Suited well for grass/alfalfa seedings Economical with high productivity
Vernal	2	2	6	Good	Тар	 Original winter hardy line of alfalfa Extremely drought hardy
Ladak	2	2	6	Good	Тар	 Older, winter hardy genetics Good longevity in dryland conditions
Fall Dormancy: Higher numbers are corr to quicker regrowth follo harvest as well as brea	sur resis	er numbers vival and ir tance and	Winter Surviva are correlated nclude factors s overall winter	to bette such as c hardines	lisease s which	

affects the stand coming out of winter.

*Seeding rates can vary depending on soil conditions and other variables.

For questions about your specific soil type, call and speak with our specialists.

22

dormancy earlier in the spring.

SPECIALTY ALFALFA PRODUCT GUIDE

PREMIUM BLENDS	FALL DORMANCY	WINTER SURVIVAL	VIELD LEVEL	FORAGE QUALITY	ROOT TYPE	FEATURES		
Millborn The Stockman™	4	1.8	9	Very Good	Tap Fibrous	 Combines the highest yielding, best quality grasses with alfalfa Excellent longevity Produces a highly desirable ratio of alfalfa to grass 		
Millborn SalinityMax™ Salt tolerant	4	1.8	9	Very Good	Tap Branch	 Selected from saline seeps Branched root trait selection Tolerates areas of high salinity and moisture Excellent disease resistance package 		
Creeping Alfalfa	2	2	6	Good	Branch	 Excellent in mixes with grass Tolerates close grazing Creeping root 		
Falcata Alfalfa Yellow flowered	1	2	7	Very Good	Fibrous	 Ideal for rangeland conditions Best used for interseeding or mixing with grass Lower bloat risk when grazing Excellent longevity 		
Fall Dormancy: Higher numbers are corr to quicker regrowth follo harvest as well as brea dormancy earlier in the s	owing aking	Winter Survival: Lower numbers are correlated to better winter survival and include factors such as disease resistance and overall winter hardiness which affects the stand coming out of winter.						

*Seeding rates can vary depending on soil conditions and other variables. For questions about your specific soil type, call and speak with our specialists.

THE STOCKMAN[™]

The Stockman[™] is a top performing Alfalfa/Grass mixture with huge popularity among hay and livestock producers. We blend our highest yielding alfalfa – Final Answer[™] – with late maturing orchardgrass and endophyte free tall forage fescue. These two grasses offer high forage yield and quality that pairs well with alfalfa. Using improved varieties of these grasses ensures that the hay produced throughout multiple cuttings will maintain a consistent alfalfa to grass ratio. Alfalfa/grass mixtures will have a longer stand life than straight alfalfa and will face less pressure from disease and pests. Dry down time is reduced by having grass in the mixture, which may be the biggest benefit to producers in higher rainfall regions. We made this blend because it's how we feed our own livestock and we are confident that it has a place on your operation as well.

Fall Dormancy: 4 Winter Survival: 1.8 Yield Level: 9 Forage Quality: Very Good



PRIME CUT[™]

The yield leader in reduced lignin varieties of alfalfa, Prime Cut[™] delivers outstanding RFQ and NDFd scores while maintaining its position as a winter hardy and top yielding alfalfa. A solid disease resistance package ensures long-lasting productivity. The reduced lignin content allows for delayed cutting intervals which can potentially reduce harvest costs by eliminating a cutting without sacrificing yield or forage quality. This gives Prime Cut the advantage over varieties that must be cut more frequently to maintain similar quality. For the hay producers who want top dollar, Prime Cut will bring it home.

Fall Dormancy: 4.2 Winter Survival: 1.8 Yield Level: 10 Forage Quality: Excellent





FINAL ANSWER™

Extremely high-yielding with great quality for stockmen, Final Answer[™] offers a disease resistance package that is bulletproof against all major alfalfa pathogens as well as great winter hardiness. This makes Final Answer an excellent solution across a wide range of acres.

Fall Dormancy: 4.3 Winter Survival: 1.7 Yield Level: 10 Forage Quality: Very Good

SALINITY MAX[™]

SalinityMax[™] is a salt tolerant variety of alfalfa that was developed by selecting parent stock from saline seeps in the Dakotas. It expresses a degree of the branch root trait, which makes it more moisture tolerant than tap root varieties. SalinityMax has been used successfully in reclamation and hay field seedings in alkaline or saline areas where other varieties fail. We have found that SalinityMax is just as salt tolerant as many of the native and introduced wheatgrass species that are commonly planted in these areas. This presents a great opportunity to increase revenue on otherwise unproductive acres. Great yield and disease resistance make SalinityMax a complete package for alfalfa growers.

Fall Dormancy: 4 Winter Survival: 1.8 Yield Level: 9 Forage Quality: Very Good



SHOLTY

Sholty Alfalfa will have superior yield compared to other yellow-flowered alfalfa varieties. It is well suited for delayed harvest management due to its ability to retain leaves after it has begun to flower. Sholty has also shown excellent ability to persist and compete with aggressive cool season grasses, such as crested wheatgrass. These traits make it a great choice for interseeding into existing grass or mixing with grasses in a new pasture seeding.





SURVIVOR PLUS™

SurvivorPlus[™] is a top performing blend of alfalfa, bringing diversity to ensure productivity in a wide range of seeding environments. SurvivorPlus is a high-yielding, economical alfalfa for livestock producers dealing with less than ideal growing conditions. It is also very well suited for planting with grass and we often use it in custom blends for growers seeking productive alfalfa/grass hay mixtures.

Fall Dormancy: 3.5 Winter Survival: 1.9 Yield Level: 8 Forage Quality: Very Good



ANNUAL FORAGES

Utilizing cropland acres to produce additional forage can be a very cost-effective way to increase your stored feed supply in years where range conditions are poor or feed use is higher than normal.

Selecting forage crops that fit your growing conditions, crop rotations, and livestock requirements is an essential part of forage planning. We are prepared to assist with this at any point from winter discussions to last-minute decisions during the growing season.

PLANTING FORAGES


PLANTING METHOD

Cool-Season Annuals: Plant your cool-season forages as soon as the field is fit in the spring. Small grains and other cool-season species can handle light frost that may occur after planting, and getting them in the ground early allows you to best utilize winter and spring moisture.

Warm-Season Annuals: These species will need soil temperatures near 60 degrees to germinate. They are sensitive to freezing, so avoid planting until you have passed the time when frost is likely to occur. Planting can be successful throughout the summer, which allows a large window to capitalize on timely rainfall or to plant after harvesting a spring crop.

Winter Annuals: Plant winter annual forages in the fall early enough that they will have time to germinate and produce ground cover before going dormant through the winter. Avoid planting too early, as excessive fall growth can be harmful to the winter survival of the stand.

ANNUAL FORAGE PRODUCT SELECTOR



COOL-SEASON ANNUAL FORAGE PRODUCT GUIDE

MODERATE RAINF SEEDING RA	SEEI			ER ENTIAL	FORAGE QUALITY (1 = AVERAGE, 5 = HIGHEST)		
	SEEDING DEPTH			DRY MATTER YIELD POTENTIAL	FORAGE Q (1 = AVERAG	GROWER NOTES	
Forage Barley	1 1⁄2"–2"	90–100 lbs (2 bushels)	70–80 lb (1.5 bushe	$-\frac{1}{1000}$	4	 Handles saline soils Drought hardy Palatable hay 	
Spring Triticale	1 1/2"-2"	80–100 lbs	60–80 lb	s 3–5 tons	3	 High yield Drought hardy 	
Oats	1 1/2"-2"	80–100 lbs (2.5–3 bushels)	60–80 lb (2–2.5 bush	3 / tonc	3	 Flexible planting window Very reliable crop in a wide range of growing conditions 	
Everleaf Forage Oats	1 1/2"-2"	80 lbs	60 lbs	3–5 tons	4	 High forage quality Requires good moisture and fertility 	
Dual Threat Forage Oat Blend	1 1/2"-2"	80 lbs	60 lbs	3–5 tons	4	 Blend of two forage oat varieties capitalize on different maturities and features 	
Pea/Oat Mix (60/40)	1 1/2"-2"	80–100 lbs	60–80 lb	s 3–4 tons	5	 Reliable way to add quality to oats used as a forage 	
Pea/Barley Mix (60/40)	1 1/2"-2"	80–100 lbs.	60–80 lb	s. 3–4 tons	5	 High crude protein potential as hay or silage 	
Pea/Triticale Mix (60/40)	1 1/2"-2"	80–100 lbs	60–80 lb	s 3–5 tons	5	 Highest yielding of the common pea/grain mixes 	
Italian Ryegrass	1/2"	25–30 lbs	15–20 lb	s 3–5 tons	5	 Extremely high quality, multi-cut crop with adequate moisture and fertility 	

Seeding Rate

Seed at a rate to produce a population that your moisture outlook can support. Heavier seeding rates will produce a higher population which reduces weed pressure and improves yield potential.

DUAL THREAT

Dual Threat is a blend of two top-performing oat varieties developed for use as a spring hay or haylage crop. The combination of the forage oat and dual-purpose oat varieties creates a unique mixture for forage production. The late-maturing Everleaf forage oats have an extremely high leaf to stem ratio, which increases the quality and yield of the blend. The Goliath oats are a tall variety that will produce grain quicker than the Everleaf and cure more easily for hay. Combining the two varieties has proven to increase forage quality and dry matter yields. The harvest versatility makes this a popular option with livestock producers.

Seeding Depth: 1 ¹/₂"-2"

Moderate Rainfall or Irrigated Seeding Rate: 80 lbs/acre Low Rainfall Dryland Seeding Rate: 60 lbs/acre Dry Matter Yield Potential: 3–5 tons





FORAGE BARLEY

Forage Barley is a beardless spring barley developed as a forage. This cool-season annual small grain is commonly planted as hay or a silage crop. Forage barley will be taller and leafier than other barley varieties. Compared to other small grain forages, it is quick maturing and will be ready to cut early. For this reason, forage barley works excellent in double cropping scenarios. The fine-stemmed hay that is produced will cure easily and be highly palatable to all classes of livestock. Forage barley is drought tolerant and displays high tolerance to saline and alkali soils.

Seeding Depth: 1 ¹/₂"-2"

Moderate Rainfall or Irrigated Seeding Rate: 90–100 lbs/acre Low Rainfall Dryland Seeding Rate: 70–80 lbs/acre Dry Matter Yield Potential: 3–4 tons

WARM-SEASON ANNUAL FORAGE PRODUCT GUIDE

MODERATE RAINF SEEDING RA	SEEDIN	AINFALL DRYL G RATE PER A ATED		DRY MATTER YIELD POTENTIAL	FORAGE QUALITY (1 = AVERAGE, 5 = HIGHEST)			
	SEEDING DEPTH			DRY MATTER YIELD POTEN	FORAGE (1 = AVERA	GROWER NOTES		
Bunker Buster BMR Forage Sorghum	3⁄4''-1''	10–15 lbs	8–10 lbs	5–7 tons	5	 Superior standability High silage yields 		
Cow Conditioner BMR Sorghum Sudangrass	3/4"-1"	15–20 lbs	12–15 lbs	4–6 tons	5	 Highly palatable Versatile uses between graze, hay, or chop 		
MS 9000 Sorghum Sudangrass	3/4''-1''	15–20 lbs	12–15 lbs	4–6 tons	3	 Reliable and versatile Economical sorghum sudangrass hybrid 		
Turbo BMR Sudangrass Hybrid	3/4"-1"	15–20 lbs	12–15 lbs	3–6 tons	5	 Fast growing Excellent persistence in multi-cut systems 		
Piper Sudangrass	3/4''-1''	15–20 lbs	12–15 lbs	3–5 tons	3	 Finer stemmed than a sorghum sudangrass Fast growing 		
Pearl Millet	1/2''_3/4''	15–20 lbs	10–15 lbs	3–5 tons	4	 Leafy multi-purpose millet Tillers well 		
German Millet	1/2''-3/4''	20–25 lbs	15–20 lbs	2–4 tons	4	 Reliable and leafy Most common hay millet 		
White Wonder Millet	1/2''-3/4''	20–25 lbs	15–20 lbs	2–4 tons	3	 Slightly taller and coarser stemmed than German Millet Drought hardy 		
Siberian Millet	1/2''-3/4''	20–25 lbs	15–20 lbs	2–3 tons	3	 Quickest maturing hay millet 		
Japanese Millet	1/2''-3/4''	20–25 lbs	15–20 lbs	2–4 tons	3	 Good regrowth Tolerates wet and saline soils better than other millets 		
Teff Grass	1/4"-1/2"	8–10 lbs	6–8 lbs	3–5 tons	5	 Extremely high quality grass hay crop Multi-cut with fast regrowth 		

Seeding Rate

Seed at a rate to produce a population that your moisture outlook can support. Heavier seeding rates will produce a higher population which reduces weed pressure and improves yield potential. Higher seeding rates will produce fine-stemmed forage that is more easily cured for hay. Lower rates will produce coarse-stemmed plants most suitable for chopping and grazing.

BUNKER BUSTER

Bunker Buster is a BMR forage sorghum that we have selected for standability and yield. In a single cut silage system, Bunker Buster will be one of the highest returns on seed investment available in an annual forage crop. Feed quality harvested from Bunker Buster is excellent and sorghum silage can be fed alone, or as part of a mixed ration. Bunker Buster's consistent, reliable production keeps it at the top of our warm season forage lineup.

Seeding Depth: 3/4"-1"

Moderate Rainfall or Irrigated Seeding Rate: 10–15 lbs/acre Low Rainfall Dryland Seeding Rate: 8–10 lbs/acre Dry Matter Yield Potential: 5–7 tons





TEFF GRASS

Teff Grass is a warm-season annual grass commonly used for hay production or grazing. Teff has gained popularity for its excellent forage quality and fast growth which allows for multiple cuttings during the growing season. Teff Grass is very fine stemmed and fine-bladed, making it extremely palatable to all classes of livestock. Crude protein levels of Teff hay are much higher than other grass hay options. Teff Grass will adapt to a range of soil types but does not perform well in waterlogged soils or highly saline areas.

Seeding Depth: 1/4"-1/2"

Moderate Rainfall or Irrigated Seeding Rate: 8–10 lbs/acre Low Rainfall Dryland Seeding Rate: 6–8 lbs/acre Dry Matter Yield Potential: 3–5 tons

WINTER ANNUAL FORAGE **PRODUCT GUIDE**

	RAINFALL DR		_	7		
MODERATE RAINFALL OR IRRIGATED SEEDING RATE PER ACRE			ATTER		QUALIT	
	SEEDING DEPTH			DRY MATTER YIELD POTEN	FORAGE	GROWER NOTES
Forage Winter Wheat	1"–1 ½"	80–100 lbs	70–80 lbs	3–5 tons	5	 Awnless winter wheat Late maturing for long harvest window
Winter Triticale	1"-1 ½"	80–100 lbs	70–80 lbs	3–5 tons	4	 Drought and winter hardy High yielding
Winter Rye	1"–1 ½"	80–100 lbs (1.5–2 bushels)			3	 Best winterhardiness Quickest growth and maturity

Seeding Rate

Seed at a rate to produce a population that your moisture outlook can support. Heavier seeding rates will produce a higher population which reduces weed pressure and improves yield potential.



FERTILITY GUIDE

		LBS/TON OF FORAGE REMOVED					
		Ν	P ₂ O ₅	K ₂ O	S		
	#3 Hay & Pasture Mix™	45	15	50	4.5		
	Waterway Mix™	45	15	50	4.5		
	The Hamilton™	45	15	50	4.5		
	Calving Pasture Mix [™]	45	15	50	4.5		
HAY & PASTURE	Alfalfa Patcher	30	15	45	-		
	Pasture Fix Mix™	45	15	50	4.5		
	Select Horse Pasture Mix™	45	15	50	4.5		
	Premium Dryland Pasture Mix [™]	45	15	50	4.5		
	Haymaker™	50	15	50	5		
ALFALFA & ALFALFA	Pure Alfalfa*	51	12	49	5.4		
GRASS MIXES	The Stockman™	50	15	50	5		
	Oats*	9	11	45	-		
COOL-SEASON ANNUAL FORAGES	Spring Triticale	9	11	45	-		
	Forage Barley	9	11	45	-		
	Everleaf 126 Forage Oats*	9	11	45	-		
	Italian Ryegrass*	43	12	43	-		
	Pea/Oat Mix (60/40)	20	15	45	-		
	Pea/Barley Mix (60/40)	20	15	45	-		
	Pea/Triticale Mix	20	15	45	-		
	Dual Threat [™] *	9	11	45	-		
	Bunker Buster [™] *	28	8.3	42	5.9		
	Cow Conditioner [™] *	30	9.5	34	5.8		
	MS 9000*	30	9.5	34	5.8		
	Pearl Millet	10	5	12	-		
	German Millet	10	5	12	-		
WARM-SEASON ANNUAL FORAGES	Japanese Millet	10	5	12	-		
ANNOALIONAGEO	Siberian Millet	10	5	12	-		
	White Wonder Millet	10	5	12	-		
	Teff Grass	15	11	40	-		
	Turbo™	30	9.5	34	5.8		
	Piper Sudangrass	30	9.5	34	5.8		
	Cereal Rye	9	11	45	-		
WINTER ANNUALS	Winter Triticale	9	11	45	4.5		
	Forage Winter Wheat	9	11	45	4.5		

*N, P, K, and S values courtesy of International Plant Nutrition Institute. All other values are approximate.

FERTILITY

Knowing your yield goal, previous crop, and having a soil sample will ensure a more accurate fertility plan. Legume crops do not need additional nitrogen if properly inoculated and nodules are formed. Grass/Legume mixtures do not need additional nitrogen if more than $\frac{1}{3}$ of the crop is a legume and has proper nodulation.



NOW AVAILABLE AT MILLBORN SEEDS! SILAGE INOCULANT

Seeds

SileG

Millborn

I Silage Inoculant

SileGuard[™] is a water-soluble silage inoculant with three different strains of lactic acid producing bacteria to aid fermentation and improve nutrient preservation when applied to all types of high-moisture forages.

> Treatment Rates: 1 gram/ton of forage Available in 500 or 1000 gram canisters



GRAINS

With the challenging and ever-changing state of agriculture, many producers are examining their crop rotations and management practices as a whole. We continue to see new interest in diversifying crop rotations to allow for the inclusion of cover crops and livestock, reduction of inputs, and improvements of the overall soil health on cropland acres.

Millborn has years of experience in helping producers creatively turn simple crop rotations into diversified systems with more resilience to weather and market conditions. We monitor university trials and strive to carry top-performing varieties. Whether you have grown small grains for many years, or have just begun, we want to see success on your acres.

SMALL GRAIN PRODUCT GUIDE

SPECIES	SEEDING RATI PER ACRE	SEED DEPTH	YIELD POTENTIAL	PLANTING TIME	FEATURES
KWS Hybrid Rye	0.80 units*	0.80"	80–150 bu/acre	Fall	 Fastest germination, growth and maturity. High-yielding with excellent market quality characteristics.
Certified Winter Wheat	80–100 lbs	1"-1 ½"	50–70 bu/acre	Fall	 An easily marketable fall-seeded option that provides ground cover through the winter.
Certified Oats	80–100 lbs	1 1/2"-2"	80–150 bu/acre	Spring	 A reliable and marketable spring-seeded option that allows for acre versatility.
Hybrid Grain Sorghum	4–8 lbs	3/4''-1''	60–100 bu/acre	Early Summer	 A warm-season crop alternative that provides reliable production in dryer environments.

Yield will vary based on variety and environmental growing conditions.

ш

*1 unit = 1 million live seeds

FERTILITY GUIDE


		LBS/BU OF GRAIN PRODUCED					
CROP		Ν	P ₂ O ₅	K ₂ O	S		
	Grain	1.12	0.46	0.31	0.10		
KWS HYBRID RYE	Stover	0.80	0.21	1.50	0.14		
	Total	1.92	0.67	1.81	0.24		
		4.40	0.40	0.00	0.40		
CERTIFIED WINTER WHEAT	Grain	1.16	0.48	0.29	0.10		
	Stover	0.70	0.16	1.20	0.14		
	Total	1.86	0.64	1.49	0.24		
	Grain	0.77	0.28	0.19	0.07		
CERTIFIED OATS	Stover	0.31	0.16	0.94	0.11		
	Total	1.08	0.44	1.13	0.18		
	Grain	0.66	0.39	0.27	0.06		
HYBRID GRAIN SORGHUM	Stover	0.56	0.16	0.83	0.12		
SORGHOM	Total	1.22	0.55	1.10	0.18		

*N, P, K, and S values courtesy of International Plant Nutrition Institute.

KWS HYBRID RYE

3624

Bred to be the highest yielding small grain on the market, the extensive tillering, solid stem, and uniform grain set of hybrid rye allows it to out yield other small grains in light and sandy soils. Pollen Plus Technology creates a shorter pollination window reducing the chances of ergot infestation, making hybrid rye grain more attractive to the rye grain markets.





COVER CROPS

Cover crops continue to be a hot topic in farming and ranching with more interest each year. With agriculture changing, so must our practices to remain viable in a challenging ag environment. As more producers utilize cover crops, the benefits they can have for your land and livestock continue to become more apparent.

Over the years, we have developed and modified mixes for specific goals that many producers have in common, serving as proven solutions. We encourage custom mixes for those who have a unique situation or are looking to expand their cover crop experience with a unique blend. We keep more than 100 different cover crop species and varieties available to ensure that your mix is ready to be created when needed.

PLANTING COVER CROPS

PLANTING METHOD

Cover crops can be drilled or broadcast. Just remember to plant the small seeds shallow. Calibrate your drill using the drill's directions. For a mix, look at your seed tag and find the species that is the largest percentage by weight in the mix. Since your drill calibration guide may not list that species, find a seed that is very similar in size and density. On your seed label, the suggested seeding rate (pounds/acre) is listed in the upper right corner. Remember, if there are many smaller, heavier seeds in the mix, it will flow faster than your calibrated setting, and you'll have to slow the seed flow. This may not be perfect, but it's a great place to start the calibration process. Monitor actual seed usage to fine tune your drill setting.

PLANTING TIME

Plant as soon as conditions allow. As the days get shorter, it becomes crucial to have your cover crops growing as soon as possible.


GRAZING TIME

You can graze a cover crop at nearly any point during or after its growth. If there are sorghum hybrids in the mix, allow for seven days after a frost event before you graze it to reduce the concern of prussic acid.

INOCULANT

To maximize nitrogen fixation, we recommend inoculating any legumes in your cover crop mixes.

COVER CROP PRODUCT SELECTOR



COVER CROP PRODUCT GUIDE

BROADCAST SEEDING RATE PER ACRE

DRILLED	SEEDING	RATE PER AC	RE			
PREMIUM BLEND	PLANTING TIME	SEEDING DEPTH			MIX RATIO	GROWER NOTES
Optigraze	Spring	1/2"	25 lbs	30 lbs	30% Italian Ryegrass 25% Forage Oats 20% Winfred Brassica 15% Hunter Brassica 10% Graza Radish	 Excellent season-long grazing High in crude protein and digestibility
Premium Graze		1/2''-3/4''	15 lbs	18 lbs	25% Millet 25% Turnip 20% BMR Sorghum Sudangrass 20% Winfred Brassica 10% Graza Radish	 Productive on a wide range of soil types Excellent heat and drought tolerance Ideal for a summer annual grazing system
Sweet Stover	Early to Mid-Summer	1/4"	20 lbs	25 lbs	25% Annual Ryegrass 15% Rapeseed 12.5% Purple Top Turnip 10% Winfred Brassica 10% Crimson Clover 10% Graza Radish 7.5% Oats 5% Buckwheat 5% Sunnhemp	 Interseeded into wide row corn Ideal for grazing later in the fall after corn harvest Designed for drilled or broadcast applications
The Cultivator		1/4''	20 lbs	25 lbs	20% Annual Ryegrass 15% Berseem Clover 15% Crimson Clover 15% Purple Top Turnip 10% Rapeseed 10% Flax 5% Buckwheat 5% Cowpeas 5% Sunn Hemp	 Interseeded into wide row corn Ideal for alleviating compaction and increasing microbial activity Designed for drilled or broadcast applications

COVER CROP PRODUCT GUIDE

BROADCAST SEEDING RATE PER ACRE

DRILLED	SEEDING	RATE PER AC	RE			
PREMIUM BLEND	PLANTING TIME	SEEDING DEPTH			MIX RATIO	GROWER NOTES
Ranch Hand	er	1/2"-3/4"	20 lbs	25 lbs	20% Sorghum Sudangrass 15% Peredovik Sunflowers 10% Oats 10% Common Vetch 10% German Millet 10% Rapeseed 10% Turnips 5% Crimson Clover 5% Flax 5% Winfred Brassica	 Well suited for grazing Will perform well in the tough conditions of western environments Highly diverse warm-season mix
Balanced Plus	Early to Mid-Summer	1/2"	12 lbs	15 lbs	30% Turnip 20% Common Vetch 20% Cover Crop Radish 20% Sorghum Sudangrass 10% Flax	 Works to scavenge nutrients and alleviate compaction Provides late-season grazing
Nutrient Builder		3/4"	25 lbs	30 lbs	30% Cover Crop Radish 20% Common Vetch 15% Flax 15% Crimson Clover 10% Oats 5% Sunnhemp 5% Peas	 > Fixes nitrogen and builds organic matter > Increase soil's microbial activity > Great option for prevent plant acres
The Producer	ummer	1/2"-3/4"	20 lbs	25 lbs	25% Purple Top Turnip 25% Common Vetch 20% Cover Crop Radish 15% Flax 15% Oats	 Ideal for late-season grazing Cool-season version of Balanced Plus
Classic Trio	Late Summer	1/4''-1/2''	8 lbs	10 lbs	40% Cover Crop Radish 30% Purple Top Turnip 30% Rapeseed	 Quick establishing brassica blend Creates a mellow seedbed to plant back into

RANCH HAND[™]

A good Ranch Hand[™] can do it all and that's just what this mix will do. There's been an increase in demand for season-long covers with more diversity. The Ranch Hand is a warm season mix that is well suited for grazing. This mix will perform well as a multipurpose blend in the tough conditions of western environments.

Drilled Seeding Rate: 20 lbs/acre Broadcast Seeding Rate: 25 lbs/acre Planting Depth: 1/2"-3/4"

MIX RATIO

20% SORGHUM SUDANGRASS 15% PEREDOVIK SUNFLOWERS 10% OATS 10% COMMON VETCH 10% GERMAN MILLET 10% RAPESEED 10% TURNIPS 5% CRIMSON CLOVER 5% FLAX **5% WINFRED BRASSICA**

LANDOWNER SCORECARD SUPPLEMENTAL GRAZING BUILD RESIDUE REDUCE SOIL COMPACTION NITROGEN FIXATION NUTRIENT SCAVENGING GROWTH IN SALINE SOILS C:N RATIO 1 2 3 5 LOW HIGH AVG.




PREMIUM GRAZE[™]

Premium Graze[™] is a blend of warm-season grasses and brassicas designed as an annual grazing system throughout the summer months as well as late-season. The mixture provides high dry matter yields and exceptional forage quality for grazing livestock. The palatability of this blend improves dry matter intake and animal performance when used as a primary feed source.

Drilled Seeding Rate: 15 lbs/acre **Broadcast Seeding Rate:** 18 lbs/acre **Planting Depth:** 1/2"-3/4"





MIX RATIO

25% MILLET 25% TURNIP 20% BMR SORGHUM SUDANGRASS 20% WINFRED BRASSICA 10% GRAZA RADISH

*These amounts are based on percentage of full seeding rate.

BALANCED PLUS™

Balanced Plus[™] is our multi-purpose, smart-value blend that will accomplish a wide variety of your goals. This combination of brassicas, grasses, and legumes is designed to maximize soil health. Balanced Plus works to alleviate compaction, scavenge nutrients, and provide grazing.

Drilled Seeding Rate: 12 lbs/acre **Broadcast Seeding Rate:** 15 lbs/acre **Planting Depth:** ¹/₂"-³/₄"





30% TURNIP 20% COMMON VETCH 20% COVER CROP RADISH 20% SORGHUM SUDANGRASS 10% FLAX

*These amounts are based on percentage of full seeding rate.

LANDOWNER SCORECARD

SUPPLEMENTAL GRAZING BUILD RESIDUE REDUCE SOIL COMPACTION NITROGEN FIXATION NUTRIENT SCAVENGING GROWTH IN SALINE SOILS C:N RATIO

51

3

AVG.

4

5

HIGH


NUTRIENT BUILDER™

Nutrient Builder[™] is a very diverse blend developed to improve soil for next year's cash crop. This cover crop cocktail will help fix nitrogen, build organic matter, and alleviate compaction. Seven different species will also help increase the soil's microbial activity.

Drilled Seeding Rate: 25 lbs/acre **Broadcast Seeding Rate:** 30 lbs/acre **Planting Depth:** ³/₄"-1"

MIX RATIO

30% COVER CROP RADISH 20% COMMON VETCH 15% FLAX 15% CRIMSON CLOVER 10% OATS 5% PEAS 5% SUNNHEMP






THE PRODUCER[™]

The Producer[™] is our cool-season version of Balanced Plus[™]. This blend achieves a variety of goals such as late-season grazing, nutrient scavenging, and reducing compaction.

Drilled Seeding Rate: 20 lbs/acre **Broadcast Seeding Rate:** 25 lbs/acre **Planting Depth:** 1/2"-3/4"





MIX RATIO

25% PURPLE TOP TURNIP 25% COMMON VETCH 20% COVER CROP RADISH 15% FLAX 15% OATS


*These amounts are based on percentage of full seeding rate.

CLASSIC TRIO[™]

Classic Trio[™] is our quick establishing basic brassica blend. The deep tap roots will alleviate compaction, and you will create a mellow seedbed to plant back into.

Drilled Seeding Rate: 8 lbs/acre **Broadcast Seeding Rate:** 10 lbs/acre **Planting Depth:** 1/2"





MIX RATIO

40% COVER CROP RADISH 30% RAPESEED 30% PURPLE TOP TURNIP


OPTIGRAZE[™]

Optigraze[™] is a blend of cool-season grasses and brassicas that has been developed as a season-long grazing cover crop. Overall forage quality of Optigraze is very high in terms of both crude protein and digestibility. Animal performance and average daily gains reflect this rich grazing diet.

Drilled Seeding Rate: 25 lbs/acre **Broadcast Seeding Rate:** 30 lbs/acre **Planting Depth:** 1/2"-3/4"

MIX RATIO

30% ITALIAN RYEGRASS25% FORAGE OATS20% WINFRED BRASSICA15% HUNTER BRASSICA10% GRAZA RADISH






SWEET STOVER[™]

Sweet Stover[™] is designed for broadcasting or drilling applications. Created for the cattleman in mind to graze longer in the fall after corn harvest. This mix is to be interseeded into your wide row corn fields between V3-V8 of your corn growth. This diverse cocktail of brassicas, legumes and cool-season grasses provides a balanced diet for livestock out on stalks.

Drilled Seeding Rate: 20 lbs/acre **Broadcast Seeding Rate:** 25 lbs/acre **Planting Depth:** 1/4"





MIX RATIO

25% ANNUAL RYEGRASS 15% RAPESEED 12.5% PURPLE TOP TURNIP 10% WINFRED BRASSICA 10% CRIMSON CLOVER 10% GRAZA RADISH 7.5% OATS

5% BUCKWHEAT 5% SUNNHEMP

*These amounts are based on percentage of full seeding rate.

THE CULTIVATOR™

The Cultivator[™] is designed for broadcasting or drilling applications. Created for soil health gurus, this mix is to be interseeded into your wide row cornfields between V3–V8 of your corn growth. This diverse blend is designed to fix nitrogen, alleviate compaction, and increase overall soil microbial activity.

increase overall soil microbial activity.
Drilled Seeding Rate: 20 lbs/acre
Broadcast Seeding Rate: 25 lbs/acre
Planting Depth: 1/4"




MIX RATIO

20% ANNUAL RYEGRASS 15% BERSEEM CLOVER 15% CRIMSON CLOVER 15% PURPLE TOP TURNIP 10% RAPESEED 10% FLAX

5% BUCKWHEAT 5% COWPEAS 5% SUNN HEMP

LANDOWNER SCORECARD



55

5

HIGH

DESIGNING A CUSTOM COVER CROP MIX

Designing your own cover crop mix should always be a goal-based process. Determine the top 1–3 goals that you would like to work towards by planting a cover crop, decide what your planting window will be, and begin building your mix from there.

Cover crop species are broken down into three main categories:

GRASSES

Any small grains such as oats, barley, or wheat as well as warm-season grasses like millets, sorghums, and sudangrass.

- > High dry matter yields for grazing
- > Higher carbon species that increase residue

BRASSICAS

Family of leafy broadleaf plants with a large taproot. Includes radishes, turnips, and other related species.

- Taproots penetrate soil profile for nutrient scavenging and reducing compaction
- Excellent forage yield and quality that is maintained late in the season

LEGUMES

Any plant that can form a nodule on its root and fix excess soil nitrogen. Clovers, peas, and vetches are some common examples.

- Form relationships with bacteria to fix atmospheric nitrogen in the soil
- Promote breakdown and mineralization of residue due to higher nitrogen content

Other broadleaf species that do not fit any of these groupings are also commonly used and can have huge benefits to a mix so do not overlook them. They are listed separately in the Cover Crop Species Guide on pages 58–59.

START MIXING YOUR OWN COVER CROP SEED MIX TODAY. WE'LLHELP.

1. NAME YOUR MIX AND CHOOSE YOUR PLANTING METHOD.

2. SELECT YOUR PLANTING TIME.

- 3. PRIORITIZE YOUR GOALS.
- 4. BUILD YOUR MIX!

Meritan			
My New Mix	Getting Started	Recommended for planting time and Breaston -	goals
	new material My New Mite	Channel - Eliteret Mrt & Basse	10000 (M)
	events of sizes 10	Writed a more than a more than a	
	name and Office -	Callage	
-	manual proves the second	My SeedMix and Seed Mix Street Land	
		81647 6 888 WE	_
		MUMAN S A	

\$11.2

MYSEEDMIX.COM

COVER CROP REFERENCE GUIDE

	COVER CROP	FULL SEEDING RATE LBS/ ACRE	IDEAL SEEDING DEPTH INCHES	SEED SIZE	NITROGEN FIXATION	GRAZING	REDUCTION OF SOIL COMPACTION	SALINITY TOLERANCE	C:N RATIO	NUTRIENT SCAVENGING
	Balansa Clover	10	1/4-1/2	Small	Yes	Good	Good	Fair	Low	Fair
	Berseem Clover	15	1/4-1/2	Small	Yes	Good	Poor	Fair	Low	Fair
	Chickling Vetch	50	1/2-1 1/2	Large	Yes	Fair	Fair	Poor	Low	Fair
	Common Vetch	20	1/2-1	Medium	Yes	Good	Fair	Poor	Low	Fair
	Crimson Clover	15	1/4-1/2	Small	Yes	Good	Poor	Poor	Low	Fair
	Fava Bean	80	1–1 ½	Large	Yes	Fair	Fair	Fair	Medium	Fair
COOL-SEASON	Hairy Vetch	25	1/2-1	Medium	Yes	Good	Fair	Poor	Low	Fair
LEGUMES	Lentil	30	1–1 ½	Medium	Yes	Fair	Poor	Poor	Low	Poor
	Pea	70	1 ¹ / ₂ -2	Large	Yes	Good	Poor	Poor	Low	Poor
	Medium Red Clover	10	1/4-1/2	Small	Yes	Good	Fair	Poor	Low	Fair
	Mammoth Red Clover	10	1/4-1/2	Small	Yes	Good	Fair	Poor	Low	Fair
	Yellow Blossom Sweet Clover	10	1/4-1/2	Small	Yes	Fair	Fair	Fair	Low	Fair
	Winter Pea	70	1 ¹ / ₂ -2	Large	Yes	Good	Poor	Poor	Low	Poor
	Annual Ryegrass	25	1/4-1/2	Small	No	Good	Fair	Poor	Medium	Good
	Barley	100	1 ¹ / ₂ -2	Large	No	Fair	Fair	Good	High	Fair
	Barley - Forage Type	100	1 ¹ /2-2	Large	No	Good	Fair	Good	High	Fair
	Winter Barley	100	1–1 ½	Large	No	Fair	Fair	Good	High	Fair
	Everleaf Forage Oat	80	1 ¹ /2-2	Large	No	Good	Fair	Poor	High	Fair
COOL-SEASON GRASSES	Italian Ryegrass	25	1/4-1/2	Small	No	Good	Fair	Poor	Medium	Good
	Oat	80	1 ¹ / ₂ -2	Large	No	Good	Fair	Fair	High	Fair
	Cereal Rye	80	1–1 ½	Large	No	Good	Fair	Good	High	Good
	Spring Triticale	100	1 ¹ / ₂ -2	Large	No	Good	Fair	Fair	High	Good
	Winter Triticale	100	1–1 ½	Large	No	Good	Fair	Fair	High	Good
	Winter Wheat	100	1–1 ½	Large	No	Fair	Fair	Fair	High	Fair
	Winter Wheat - Forage Type	80	1–1 ¹ / ₂	Large	No	Good	Fair	Fair	High	Fair
COOL-SEASON	Flax	20	1/2-3/4	Medium	No	Poor	Poor	Poor	High	Fair
BROADLEAVES	Phacelia	5	1/4-1/2	Small	No	Poor	Poor	Poor	Low	Good

COVER CROP REFERENCE GUIDE

	COVER CROP	FULL SEEDING RATE LBS/ ACRE	IDEAL SEEDING DEPTH INCHES	SEED SIZE	NITROGEN FIXATION	GRAZING	REDUCTION OF SOIL COMPACTION	SALINITY TOLERANCE	C:N RATIO	NUTRIENT SCAVENGING
	Cowpea	50	1–1 ½	Large	Yes	Good	Fair	Poor	Low	Fair
WARM-SEASON	Mung Bean	25	1–1 ½	Large	Yes	Fair	Fair	Poor	Low	Fair
LEGUMES	Soybean	50	1 ¹ / ₂ -2	Large	Yes	Fair	Poor	Poor	Medium	Fair
	Sunn Hemp	25	1/2-1	Large	Yes	Fair	Good	Fair	Medium	Good
	BMR Forage Sorghum	10	3/4-1	Medium	No	Good	Good	Fair	High	Good
	German Millet	25	1/2-3/4	Small	No	Good	Fair	Poor	High	Fair
	Grain Sorghum	8	3/4-1	Medium	No	Fair	Good	Fair	High	Good
	Japanese Millet	25	1/2-3/4	Small	No	Good	Fair	Fair	High	Fair
	Pearl Millet	20	1/2-3/4	Small	No	Good	Fair	Poor	High	Fair
	Piper Sudangrass	15	3⁄4-1	Medium	No	Good	Good	Fair	High	Good
WARM-SEASON GRASSES	Siberian Millet	25	1/2-3/4	Small	No	Good	Fair	Poor	High	Fair
	BMR Sorghum Sudangrass	20	3/4-1	Medium	No	Good	Good	Fair	High	Good
	Sorghum Sudangrass	20	3/4-1	Medium	No	Good	Good	Fair	High	Good
	BMR Sudangrass Hybrid	15	3/4-1	Medium	No	Good	Good	Fair	High	Good
	Teff Grass	10	1/4	Small	No	Good	Poor	Poor	Medium	Poor
	White Wonder Millet	25	1/2-3/4	Small	No	Good	Fair	Poor	High	Fair
	Buckwheat	50	1/2-1	Medium	No	Poor	Poor	Poor	Medium	Fair
WARM-SEASON BROADLEAVES	Peredovik Sunflower	7	1–1 ½	Large	No	Good	Good	Good	High	Good
	Safflower	30	1–1 ½	Large	No	Poor	Good	Good	Medium	Good

	COVER CROP	FULL SEEDING RATE LBS/ ACRE	IDEAL SEEDING DEPTH INCHES	SEED SIZE	NITROGEN FIXATION	GRAZING	REDUCTION OF SOIL COMPACTION	SALINITY TOLERANCE	C:N RATIO	NUTRIENT SCAVENGING
	Ethiopian Cabbage	5	1/4-1/2	Small	No	Good	Good	Good	Low	Good
	Forage Collards	6	1/4-1/2	Small	No	Good	Good	Poor	Low	Good
	Graza Radish	8	1/4-1/2	Small	No	Good	Good	Poor	Low	Good
	Hunter Brassica	5	1/4-1/2	Small	No	Good	Good	Fair	Low	Good
	Kale	4	1/4-1/2	Small	No	Good	Good	Fair	Low	Good
BRASSICAS	Mustard	8	1/4-1/2	Small	No	Fair	Good	Poor	Low	Good
DRASSICAS	Radish	8	1/4-1/2	Small	No	Good	Good	Fair	Low	Good
	Rapeseed	5	1/4-1/2	Small	No	Good	Good	Good	Low	Good
	Sugar Beet	4	1/4-1/2	Small	No	Good	Good	Good	Low	Good
	Purple Top Turnip	5	1/4-1/2	Small	No	Good	Good	Fair	Low	Good
	Winfred Brassica	5	1/4-1/2	Small	No	Good	Good	Fair	Low	Good
	Winter Camelina	3	1/4-1/2	Small	No	Poor	Fair	Fair	Low	Good



CONSERVATION + RECLAMATION

Whether you're establishing new habitat or reclaiming a disturbed area, we are here to help. Millborn offers standard mixes and an extremely wide variety of species to design your own custom mix.

Each project is unique in its own way. That's why it's our goal to make this a simple and rewarding process by offering solutions to any issues that may arise.

CONSERVATION. MADE SIMPLE.


Each state has its own set of standards to follow when designing a mix for Conservation Reserve Programs. Millborn honors each of those standards and formulates some of the most highly specialized standard CRP mixes in the industry. It's a complex process that ultimately provides some of the simplest ways to achieve a healthy CRP stand.

All of our mixes are designed to help reduce the time and attention required to achieve a successful CRP stand. We combine diverse, fast-establishing grasses and forbs to help compete against weeds. This means less time fighting your project and more time enjoying it.


READY TO PLANT

Millborn Seeds offers powerfully fast delivery of standard CRP mixes, from basic grass-only mixes to highly diverse pollinator mixes.

Visit MILLBORNSEEDS.COM/CONSERVATION to view state-specific standard mixes.



MIXES AVAILABLE FOR ALL **50 STATES**.



ESTABLISH A SUCCESSFUL STAND.

Having healthy expectations is key to achieving a successful CRP stand. Following the below steps is extremely important. With that being said, we also understand that there will be questions along the way and we are more than happy to help and answer any and all of them.

SELECT YOUR MILLBORN SEEDS CRP MIX.

If you are unsure which mix will meet your specific needs, allow us to help.



PROPER SEEDBED PREPARATION.

Ultimately, you want a clean, weed-free seedbed to plant into. Failure to properly prepare your seedbed can result in soil that isn't uniform, leading to unsuccessful stands.



TIMING OF SEEDING.

The two primary seeding windows are spring and dormant. We fine tune our mixes depending on your desired seeding time.



SEEDING TECHNIQUE

We recommend using a drill capable of placing the seed no deeper than ¹/₃". We have found Truax and Great Plains drills to be the best for seeding native grasses and forbs.



POST-SEEDING MANAGEMENT

Every project's post seeding management is unique. We are here to guide you through the steps for a successful stand.



PLANTING NATIVES

PLANTING METHOD

Using a drill capable of seeding native grasses is preferred, to ensure better seed placement. Plant no deeper than ½", as you would rather have the seed too shallow than too deep. You also can broadcast and drag in. If you broadcast the seed, use a seeding rate at least 50% higher than the drilling rate.

Truax Drill Settings

The chart below shows seeding rates in the fluffy box with and without seed gaskets for a general Millborn native CRP mix. The numbers listed represent bulk pound per acre.

	CONE SPROCKET SETTING	1	2	3	4	5
WITHOUT	54 TOOTH SPROCKET	6.6	11.8	21.4	36.5	62
SEED GASKETS	30 TOOTH SPROCKET	11.7	21.7	38.2	64.4	109.7
WITH	54 TOOTH SPROCKET	5.4	9.6	16.7	27.9	46.6
SEED GASKETS	30 TOOTH SPROCKET	9.7	17.3	30.1	50.4	84

The output rates are variable depending on individual conditions.

PLANTING TIME

Both warm and cool-season grasses can be planted in the spring. At a minimum, soil temp should be 50 degrees. Only cool-season grasses can be planted in late summer to early fall. Both warm and cool-season grasses can be dormant planted. Soil temps need to be at or below 40 degrees.

SEEDING RATE

Plant at least 20–40 seeds/sq. ft depending on your location, growing conditions and goals.

WEED CONTROL

If you only have grasses in your mix, you can use Plateau[®] pre-emergence and any common broadleaf control herbicide post-emerge like 2,4-D, Milestone[®], GrazonNext[®], etc. (once grasses reach a 3–4 leaf stage). If you add flowers to your mix, you must select flowers that are either Plateau[®] or Milestone[®] tolerant. Refer to the next page for a full list of herbicides.

WILDLIFE MIXES

For pheasant habitat, winter cover or nesting cover is best. An ideal winter cover mixture is designed with at least eight native grasses, and made predominantly of Big Bluestem, Indiangrass and Switchgrass. A nesting cover is a mixture of both grasses (predominantly cool-season) and flowers. There should be at least 15 species in the mix, with half being flowers. You can also create a Dense Nesting Cover (DNC) by mixing wheatgrasses, alfalfa and sweetclover. For deer bedding cover, a mixture of Big Bluestem, Indiangrass and Switchgrass, with the mix predominantly being Switchgrass is best.

CONSERVATION HERBICIDE GUIDE

	HERBICIDE	DESCRIPTION
	2,4-D Amine [®]	Good mid-summer broadleaf control
	Capstone®	Milestone® and Garlon® 3A mix for broadleaf & woody plant control
	Crossbow [®] L	Control of most types of unwanted trees and brush
	Curtail [®]	Broad-spectrum broadleaf weed control
	E-2 [®]	Contains three active ingredients for broad-spectrum broadleaf control
	Escort [®] XP	Broad-spectrum control of woody brush and broadleaf weeds
	Facet [®] L	Residual and post-emergence control of grasses
	Garlon [®] 3A	Good woody plant control and some broadleaf control
	Grazon [®] P+D	2,4-D and Tordon mix for broadleaf, woody plant, and vine control
	GrazonNext® HL	2,4-D and Milestone mix for good broadleaf weed control
CONSERVATION & RANGELAND	Milestone®	Good broadleaf control with minimized activity on some native flower species
	Opensight [®]	Mixture of Milestone and Escort XP
	Pathfinder [®] II	Cut stump and basal bark application for control of woody plants
	Plateau®	Broadleaf and grass control used in native stand establishment
	Prowl [®] H2O	Residual control of broadleaf and grass weeds
	Pursuit®	Broadleaf weed control used in alfalfa and other legume crops
	Rejuvra	Residual grass and broadleaf control in established perennial conservation sites and rangeland
	Rifle [®] D	Dicamba & 2,4-D premix
	Stinger®	Good thistle control in pastures and select crops
	Transline®	Good for thistle control in sensitive sites

	HERBICIDE	DESCRIPTION
WETLAND	AquaNeat [®]	RoundUp® for aquatic uses
	Aquathol [®] K	Controls submerged weeds in lakes & ponds
	Clearcast®	Controls cattails and common reed; easier on grasses and brush in sites
	Cutrine [®] Plus	Broad range control of algae
	Garlon [®] 3A	Woody plant and broadleaf control
	Habitat®	Control of emergent and floating vegetation
	Platoon [®] 2,4-D Amine	Good broadleaf control for mid-summer applications with aquatic label

GRASS GUIDES

Native Grasses are a group of mostly perennial grasses. Native Warm Season Grasses (NWSGs) are the backbone of the prairies, providing a variety of uses and benefits. Native Cool Season Grasses (NCSGs) fulfill an important ecological role.

NWSGs reach their maximum production during the summer months, once the soil temperature reaches 55°– 60° F. Most NWSGs are "bunch grasses," which means they grow in clumps. This bunch grass structure provides an open understory, allowing for easy wildlife movement, while still providing overhead cover. Additionally, this stiff-stemmed plant can withstand heavy loads of snow. NWSGs are primarily used for conservation (wildlife) cover, grazing, haying and reducing soil erosion.

NCSGs actively grow when temperatures are cooler, reaching 50° - 55° F. They are especially active from early spring to early summer and then again in early fall. NCSGs are essential in providing forage, nesting cover and seeds to ear early in the growing season. Additionally, NCSGs provide a cover for wildlife.



COOL-SEASON GRASSES

COOL-SEASON GRASSES			
SCIENTIFIC NAME	COMMON NAME		
Achnatherum hymenoides	Indian Ricegrass		
Agropyron smithii	Western Wheatgrass		
Agropyron trachycaulum	Slender Wheatgrass		
Bromus anomalus	Nodding Brome		
Bromus carinatus	California Brome		
Bromus ciliatus	Fringed Brome		
Bromus kalmii	Prairie Brome		
Bromus marginatus	Mountain Brome		
Bromus purgans	Hairy Wood Chess		
Calamagrostis canadensis	Bluejoint Reed Grass (Canada Bluejoint)		
Danthonia spicata	Poverty Oats		
Deschampsia cespitosa	Tufted Hairgrass		
Elymus canadensis	Canada Wildrye		
Elymus elymoides	Bottlebrush Squirreltail		
Elymus glaucus	Blue Wildrye		
Elymus lanceolatus	Thickspike (Streambank) Wheatgrass		
Elymus riparius	Riverbank Wildrye		
Elymus villosus	Silky Wildrye		
Elymus virginicus	Virginia Wildrye		
Elymus wawawaiensis	Snake River Wheatgrass		
Festuca arizonica	Arizona Fescue		
Festuca campestris	Rough Fescue		
Festuca idahoensis	Idaho Fescue		
Festuca obtusa	Nodding Fescue		
Festuca occidentalis	Western Fescue		
Festuca saximontana	Rocky Mountain Fescue		
Glyceria canadensis	Rattlesnake Grass		
Glyceria striata	Fowl Manna Grass		
Hordeum brachyantherum	Meadow Barley		
Hordeum jubatum	Squirrel Tail Grass		
Koeleria cristata	Prairie June Grass		
Leersia oryzoides	Rice Cut Grass		
Leymus cinereus	Great Basin Wildrye		
Leymus salinus	Salina Wildrye		
Leymus triticoides	Beardless Wildrye (Creeping Wildrye)		
Poa alpina	Alpine Bluegrass		
Poa compressa	Canada Bluegrass		
Poa fenderiana	Muttongrass		
Poa nervosa	Wheeler Bluegrass		
Pop polystric	Four Pluggrass		

Fowl Bluegrass

Big Bluegrass

Poa palustris

Poa secunda ssp. Ampla

COOL-SEASON GRASSES		
SCIENTIFIC NAME	COMMON NAME	
Poa secunda ssp. Canbyi	Canby's Bluegrass	
Poa secunda ssp. Sanbergii	Sandberg Bluegrass	
Psathyrostachys juncea	Russian Wildrye	
Pseudoroegneria spicata ssp. Inermis	Beardless Bluebunch Wheatgrass	
Pseudoroegneria spicata ssp. Spicata	Bluebunch Wheatrass	
Pucinellia nuttalliana	Nuttall's Alkaligrass	
Sphenopholis obtusata	Prairie Wedgegrass	
Stipa comata	Needle-and-Thread Grass	
Stipa spartea	Porcupine Grass	
Stipa virdula	Green Needlegrass	
Tripsacum dactyloides	Eastern Gamma Grass	
Vulpia octoflora	Sixweeks Fescue	

WARM-SEASON GRASSES SCIENTIFIC NAME COMMON NAME Andropogon gerardii **Big Bluestem** Andropogon hallii Sand Bluestem Bouteloua barbata Sixweeks Grama Bouteloua curtipendula Sideoats Grama Black Grama Bouteloua eriopoda Blue Grama-Bad River Bouteloua gracilis Buchloe dactyloides Buffalograss Calamovilfa longifolia Prairie Sandreed Distichlis spicata Inland Saltgrass Eragrostis trichodes Sand Lovegrass Muhlenbergia asperifolia Scratchgrass Muhlenbergia montana Mountain Muhly Muhlenbergia porteri Bush Muhly Green Muhly Muhlenbergia racemosa (Upland Wild Timothy) Muhlenbergia wrightii Spike Muhly Panicum virgatum Switchgrass Schizachyrium scoparium Little Bluestem Sorghastrum nutans Indiangrass Prairie Cord Grass Spartina pectinata Sporobolus airoides Alkali Sacaton Rough Dropseed Sporobolus asper (compositus) Sporobolus contractus Spike Dropseed Sporobolus cryptandrus Sand Dropseed Sporobolus heterolepsis Prairie Dropseed

Sporobolus wrightii

69

Big Sacaton

WILDFLOWERS, SHRUBS & WOODY PLANTS

With the declining population of pollinators, the use of native wildflowers is becoming extremely important. Broadleaf plants increase species biodiversity of wild wildlife, providing essential food and habitat for beneficial insects, vital pollinators and all types of wildlife. When designing a pollinator friendly wildflower mix, keep the below points in mind.

- Choose a variety of colors and shapes to attract a diversity of pollinators.
- Provide pollen and nectar sources from early spring to late fall. There should be at least 3 flowering species blooming per season.
- Choose plants that meet your growing conditions.

In addition to wildflowers, woody shrubs and trees are vital components of biologically diverse ecosystems. Shrubs and trees provide food, thermal cover, concealment, height diversity and a nesting habitat for numerous types of insects, pollinators, birds and wildlife species.

Let us know what your goals and growing conditions are, and we will design a mix specific to your needs.

Did you know pollinators are responsible for one out of every three bites of food we eat?



WILDFLOWER GUIDE

SCIENTIFIC NAME COMMON NAME Abronia vilosa Desert Sand Verbena Achillea millefolium White Yarrow Achillea millefolium occidentalis Western Yarrow Agastache foeniculum Anise (Fragrant Giant) Hysson	
Achillea millefoliumWhite YarrowAchillea millefolium occidentalisWestern YarrowAgastache foeniculumAnise (Fragrant Giant) Hyssop	
Achillea millefolium occidentalisWestern YarrowAgastache foeniculumAnise (Fragrant Giant) Hyssop	
Agastache foeniculum Anise (Fragrant Giant) Hyssop	
	C
Agastache scrophulariifolia Purple Giant Hyssop	
Alisma subcordatum American (Common/Mud) Plantain	
Alisma triviale Northern Water Plantain	
Allium canadense Wild Garlic	
Allium cernuum Nodding Onion	
Allium stellatum Prairie Onion	
Anemone canadensis Canada (Meadow) Anemone	
Anemone cylindrica Thimble Weed	
Anemone patens Pasque Flower	
Anemone virginiana Tall Thimble Weed (Anemone)
Angelica atropurpurea Angelica	
Aquilegia canadensis Columbine	
Aquilegia coerulea Colorado Blue Columbine	
Asclepias incarnata Swamp Milkweed	
Asclepias syriaca Common Milkweed	
Asclepias tuberosa Butterfly Milkweed	
Asclepias verticillata Whorled Milkweed	
Aster azureus Sky Blue Aster	
Aster ericoides Heath Aster	
Aster laevis Smooth Blue Aster	
Aster novae-angliae New England Aster	
Aster sagittifolius Arrow-leaved Aster	
Aster sericeus Silky Aster	
Aster umbellatus Flat-Topped Aster	
Astragalus canadensis Canada Milk Vetch	
Astragalus crassicarpus Ground Plum Milkvetch	
Astragalus filipes Basalt Milkvetch	
Balsamorhiza macrophylla Cutleaf Balsamroot	
Boltonia asteroides False Aster	
Campanula americana Tall Bellflower	
Campanula rotundifolia Harebell	
Castilleja linariifolia Wyoming Indian Paintbrush	
Chamaecrista fasciculata Partridge Pea	
Chamerion angustifolium Fireweed	
Clarkia amoena Farewell-to-Spring	
Cleome serrulata Rocky Mountain Bee Plant	
Coreopsis lanceolata Lance-Leaved (Sand) Coreopsi	sis

WILDFLOWER GUIDE	
SCIENTIFIC NAME	COMMON NAME
Coreopsis palmata	Prairie Coreopsis (Stiff Tickseed)
Coreopsis tinctoria	Plains Coreopsis
Coreopsis tripteris	Tall Coreopsis
Dalea candidum	White Prairie Clover
Dalea ornata	Western Prairie Clover
Dalea purpurea	Purple Prairie Clover
Desmanthus illinoensis	Illinois Bundleflower
Desmodium canadense	Showy Tick Trefoil
Desmodium illinoense	Illinois Tick Trefoil
Dieteria bigelovii var bigelovii	Plains Aster
Dieteria canescens	Hoary Tansyaster
Dodecatheon meadia	Shooting Star
Dracopis amplexicaulis	Clasping Coneflower
Echinacea angustifolia	Narrow-Leaved Coneflower (Black Sampson)
Echinacea pallida	Pale Purple Coneflower
Echinacea purpurea	Purple Coneflower
Erigeron speciosus	Aspen Fleabane (Aspen daisy)
Eriogonum racemosum	Redroot Buckwheat
Eriogonum umbellatum	Sulphur Flower Buckwheat
Eryngium yuccifolium	Rattlesnake Master
Eschscholzia caespitosa	Tufted Poppy
Eschscholzia californica	California Poppy
Eupatorium maculatum	Joe Pye Weed
Eupatorium perfoliatum	Boneset
Eupatorium purpureum	Sweet Joe Pye Weed
Gaillardia aristata	Blanket Flower
Gaillardia pulchella	Indian Blanket
Gentiana andrewsii	Bottle Gentian
Gentiana flavida	Cream Gentian
Geranium maculatum	Wild Geranium
Geranium viscosissimum	Sticky Purple Geranium
Gilia capitata	Globe Gilia
Gilia tricolor	Birds Eyes
Glycyrrhiza lepidota	Wild (American) Licorice
Helenium autumnale	Sneezeweed
Helianthella uniflora	Oneflowred Helianthella
Helianthus annuus	Annual Sunflower
Helianthus gigateus	Giant (Tall) Sunflower
Helianthus grosseserratus	Sawtooth Sunflower
Helianthus maxmilliani	Maximilian Sunflower

71

WILDFLOWER GUIDE SCIENTIFIC NAME **COMMON NAME** Nuttal's Sunflower Helianthus nuttallii (Marsh Sunflower) Helianthus pauciflorus Stiff (Showy) Sunflower Heliomeris multiflora Showy Goldeneye Heliopsis helianthoides False (Early) (Ox-Eye) Sunflower Herrickia glauca Blueleaf Aster (Gray Aster) Heterotheca villosa Hairy Goldenaster Heuchera richardsonii Prairie Alumroot Great St. John's Wort Hypericum pyramidatum lpomopsis aggregata Scarlet Gilia (Skyrocket) Rocky Mountain Iris Iris missouriensis (Western Blue Flag) Iris versicolor Northern Blue Flag Iris Southern Blue Flag Iris Iris virginica shrevei Kuhnia eupatorioides False Boneset Layia platyglossa Coastal Tidytips Mountain Phlox Leptosiphon grandiflorus (Large-flower linanthus) Lespedeza capitata Round-Head Bush Clover Liatris aspera Rough (Button) Blazingstar Liatris cylindracea Dwarf Blazingstar Liatris ligulistylis Meadow Blazingstar Liatris punctata Dotted Blazingstar (Gay Feather) Prairie Blazingstar Liatris pycnostachya (Thickspike Gayfeather) Dense Blazingstar Liatris spicata (Marsh Gayfeather) Linum lewisii Lewis Flax Linum perenne Blue Flax Lobelia cardinalis Cardinal Flower Lobelia siphilitica Great Blue Lobelia Lomatium foeniculaceum Desert Biscuitroot **Bigseed Biscuitroot** Lomatium macrocarpum Lomatium nudicaule **Barestem Biscuitroot** Ludwigia alternifolia Seedbox Lupinus argenteus Silvery Lupine Lupinus arizonicus Arizona Lupine Lupinus perennis Perennial Lupine Wild Lupine (Local EcoType) Lupinus perennis Lupinus polyphyllus **Bigleaf Lupine** Lupinus rivularis **Riverbank Lupine** Lupinus sericeus Silky Lupine

SCIENTIFIC NAMECOMMON NAMELycopus americanusWater HorehoundMachaeranthera tanacetifoliaPrairie AsterMimulus ringensMonkey FlowerMirabilis multifloraColorado Four O'ClockMonarda citriodoraLemon Beebalm (Lemon Mint)Monarda citriodoraElemon Beebalm (Demon Mint)Nemophila maculataFive SpotNemophila maculataEvening PrimroseOenothera biennisEvening PrimroseOenothera speciosaShowy Evening PrimroseOsmorhiza occidentalisSweet Anise (Western Sweetroot)Papaver nudicauleIceland Poppy (Arctic Poppy)Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon qigitalisFoxglove BeardtonguePenstemon grandiflorusShell Leaf Penstemon (Large-Flowered Beardtongue)Penstemon polmeriPalmer's Penstemon (Litteflower Penstemon) (Litteflower Penstemon)Penstemon procerusSmallflower Penstemon (Litteflower Penstemon) (Litteflower Penstemon)Phacelia aracetifoliaLacy Phacelia Phox pilosaPhotor tilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPisoralea esculentaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPisoralea esculentaPrairie CinquefoilPicorathemun wirginianumMountain MintRatibida columnifera var. (Upright Prairie Coneflower)Ratibida columnifera var. (Upright Prairie Coneflower)Ratibida columnifera var. (Uprigh	WILDFLOWER GUIDE	
Machaenthera tanacetifoliaPrairie AsterMimulus ringensMonkey FlowerMirabilis multifloraColorado Four O'ClockMonarda citriodoraLemon Beebalm (Lemon Mint)Monarda fistulosaWild Bergamot (Bee Balm)Nemophila maculataFive SpotNemophila menziesiiBaby Blue EyesOenothera biennisEvening PrimroseOenothera speciosaShowy Evening PrimroseOsmorhiza occidentalisSweet Anise (Western Sweetroot)Papaver nudicauleIceland Poppy (Arctic Poppy)Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon quantitiesFoxglove BeardtonguePenstemon grandiflorusShall Leaf Penstemon (Large-Flowered Beardtongue)Penstemon procerusSmallflower Penstemon (Littleflower Penstemon)Penstemon procerusSmallflower Penstemon (Clefteaf Wildheliotrope)Phacelia crenulataDesert Bluebells (Clefteaf Wildheliotrope)Phacelia renulataDesert Plume PloxPhox drummondiiDrummond PhloxPhoto pilosaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemu virginianaMountain MintRatibida columnifera var. ulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida columnifera var. ulcherrimaMexican Hat (Ulpright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRutibida pinnataWild Golden Glow <tr< th=""><th>SCIENTIFIC NAME</th><th>COMMON NAME</th></tr<>	SCIENTIFIC NAME	COMMON NAME
Mimulus ringensMonkey FlowerMirabilis multifloraColorado Four O'ClockMonarda citriodoraLemon Beebalm (Lemon Mint)Monarda fistulosaWild Bergamot (Bee Balm)Nemophila maculataFive SpotNemophila menziesiiBaby Blue EyesOenothera biennisEvening PrimroseOenothera speciosaShowy Evening PrimroseOsmorhiza occidentalisSweet Anise (Western Sweetroot)Papaver nudicauleIceland Poppy (Arctic Poppy)Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon grandiflorusShell Leaf Penstemon (Large-Flowered Beardtongue)Penstemon procerusSmallflower Penstemon (Littleflower Penstemon)Phacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhox drummondiiDrummond PhloxPhox pilosaPrairie PhloxPhostegia virginianaObedient PlantPotentila argutaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida columnifera var. pulcherrimaWestern ConeflowerRudbeckia laciniataWild Golden GlowRudbeckia laciniataWild Golden GlowRudbeckia laciniata	Lycopus americanus	Water Horehound
Mirabilis multifloraColorado Four O'ClockMonarda citriodoraLemon Beebalm (Lemon Mint)Monarda fistulosaWild Bergamot (Bee Balm)Nemophila maculataFive SpotNemophila menziesiiBaby Blue EyesOenothera biennisEvening PrimroseOenothera speciosaShowy Evening PrimroseOsmorhiza occidentalisSweet Anise (Western Sweetroot)Papaver nudicauleIceland Poppy (Arctic Poppy)Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon grandiflorusShell Leaf PenstemonPenstemon palmeriPalmer's PenstemonPenstemon procerusSmallflower PenstemonPenstemon procerusSmallflower PenstemonPhacelia tanacetifoliaLacy PhaceliaPhox drummondiiDrummond PhloxPhox pilosaPrairie PhloxPhotostegia virginianaObedient PlantPotentila argutaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida columnifera var. pulcherimaMexican Hat (Ulpright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRatibida cidentalisWild Golden GlowRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaSweet Black-Eyed Susan	Machaeranthera tanacetifolia	Prairie Aster
Monarda citriodoraLemon Beebalm (Lemon Mint)Monarda fistulosaWild Bergamot (Bee Balm)Nemophila maculataFive SpotNemophila menziesiiBaby Blue EyesOenothera biennisEvening PrimroseOenothera speciosaShowy Evening PrimroseOsmorhiza occidentalisSweet Anise (Western Sweetroot)Papaver nudicauleIceland Poppy (Arctic Poppy)Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon grandiflorusShell Leaf Penstemon (Large-Flowered Beardtongue)Penstemon procerusSmallflower Penstemon (Litteflower Penstemon)Penstemon procerusSmallflower Penstemon (Litteflower Penstemon)Phacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhox drummondiiDrummond PhloxPhlox pilosaPrairie PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columnifera var. (Upright Prairie Coneflower)Ratibida columnifera var. (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia hirtaBlack-Eyed Susan	Mimulus ringens	Monkey Flower
Monarda fistulosaWild Bergamot (Bee Balm)Nemophila maculataFive SpotNemophila menziesiiBaby Blue EyesOenothera biennisEvening PrimroseOenothera speciosaShowy Evening PrimroseOsmorhiza occidentalisSweet Anise (Western Sweetroot)Papaver nudicauleIceland Poppy (Arctic Poppy)Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon grandiflorusShell Leaf Penstemon (Large-Flowered Beardtongue)Penstemon procerusSmallflower Penstemon (Littleflower Penstemon)Penstemon procerusSmallflower Penstemon (Littleflower Penstemon)Phacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phlox drummondiiDrummond PhloxPhlox pilosaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemun virginianumMountain MintRatibida columnifera var. (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia subtomentosaWestern Coneflower	Mirabilis multiflora	Colorado Four O'Clock
Nemophila maculataFive SpotNemophila menziesiiBaby Blue EyesOenothera biennisEvening PrimroseOenothera speciosaShowy Evening PrimroseOsmorhiza occidentalisSweet Anise (Western Sweetroot)Papaver nudicauleIceland Poppy (Arctic Poppy)Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon grandiflorusShell Leaf PenstemonPenstemon palmeriPalmer's PenstemonPenstemon procerusSmallflower PenstemonPenstemon procerusRocky Montain PenstemonPhacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhosostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Longheaded) ConeflowerRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Rudbeckia laciniataWild Golden GlowRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaWestern Coneflower	Monarda citriodora	Lemon Beebalm (Lemon Mint)
Nemophila menziesiiBaby Blue EyesOenothera biennisEvening PrimroseOenothera speciosaShowy Evening PrimroseOsmorhiza occidentalisSweet Anise (Western Sweetroot)Papaver nudicauleIceland Poppy (Arctic Poppy)Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon grandiflorusShell Leaf PenstemonPenstemon palmeriPalmer's PenstemonPenstemon procerusSmallflower PenstemonPhacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhosostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie (Longheaded) ConeflowerRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida columnifera var. pulcherrimaWild Golden GlowRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaWestern Coneflower	Monarda fistulosa	Wild Bergamot (Bee Balm)
Oenothera biennisEvening PrimroseOenothera speciosaShowy Evening PrimroseOsmorhiza occidentalisSweet Anise (Western Sweetroot)Papaver nudicauleIceland Poppy (Arctic Poppy)Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon grandiflorusShell Leaf Penstemon (Large-Flowered Beardtongue)Penstemon palmeriPalmer's Penstemon (Littleflower Penstemon)Penstemon strictusRocky Montain Penstemon (Littleflower Penstemon)Phacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhotontilla argutaObedient PlantPotentilla argutaPrairie PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie Longheaded) ConeflowerPatibida columniferaPrairie (Longheaded) ConeflowerRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Rudbeckia laciniataWild Golden GlowRudbeckia laciniataWietsern Hack-Eyed Susan	Nemophila maculata	Five Spot
Oenothera speciosaShowy Evening PrimroseOsmorhiza occidentalisSweet Anise (Western Sweetroot)Papaver nudicauleIceland Poppy (Arctic Poppy)Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon eatoniiFirecracker PenstemonPenstemon grandiflorusShell Leaf PenstemonPenstemon palmeriPalmer's PenstemonPenstemon procerusSmallflower PenstemonPenstemon strictusRocky Montain PenstemonPhacelia tanacetifoliaLacy PhaceliaPhlox drummondiiDrummond PhloxPhlox pilosaPrairie PinePhareite LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columniferaPrairie (Longheaded) ConeflowerRatibida columniferaWraican Hat (Upright Prairie Coneflower)Ratibida columniferaWild Golden GlowRudbeckia laciniataWild Golden GlowRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaSweet Black-Eyed Susan	Nemophila menziesii	Baby Blue Eyes
Osmorhiza occidentalisSweet Anise (Western Sweetroot)Papaver nudicauleIceland Poppy (Arctic Poppy)Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon acuminatusShell Leaf PenstemonPenstemon grandiflorusShell Leaf PenstemonPenstemon palmeriPalmer's PenstemonPenstemon procerusSmallflower PenstemonPenstemon strictusRocky Montain PenstemonPhacelia tanacetifoliaLacy PhaceliaPhlox drummondiiDrummond PhloxPhlox pilosaPrairie PhloxPhysostegia virginianaObedient PlantPosralea esculentaPrairie Turnip (Indian Breadroot)Pycnantherum virginianumMountain MintRatibida columniferaPrairie (Longheaded) ConeflowerRatibida columniferaWesican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia laciniataWild Golden GlowRudbeckia occidentalisWestern Coneflower	Oenothera biennis	Evening Primrose
Osmorhiza occidentalis(Western Sweetroot)Papaver nudicauleIceland Poppy (Arctic Poppy)Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon eatoniiFirecracker PenstemonPenstemon grandiflorusShell Leaf PenstemonPenstemon palmeriPalmer's PenstemonPenstemon procerusSmallflower PenstemonPenstemon procerusSmallflower PenstemonPhacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhlox drummondiiDrummond PhloxPhotentilla argutaPrairie PhloxPhotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columniferaPrairie Longheaded) ConeflowerRatibida columniferaBlack-Eyed SusanRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia occidentalisWestern Coneflower	Oenothera speciosa	Showy Evening Primrose
Parthenium integrifoliumWild QuininePenstemon acuminatusSharpleaf PenstemonPenstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon eatoniiFirecracker PenstemonPenstemon grandiflorusShell Leaf Penstemon (Large-Flowered Beardtongue)Penstemon palmeriPalmer's Penstemon (Littleflower Penstemon)Penstemon procerusSmallflower Penstemon (Littleflower Penstemon)Penstemon strictusRocky Montain Penstemon (Littleflower Penstemon)Phacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhlox drummondiiDrummond PhloxPhoto pilosaPrairie PhloxPhototila argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia occidentalisWestern Coneflower	Osmorhiza occidentalis	
Penstemon acuminatusSharpleaf PenstemonPenstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon eatoniiFirecracker PenstemonPenstemon grandiflorusShell Leaf Penstemon (Large-Flowered Beardtongue)Penstemon palmeriPalmer's Penstemon (Littleflower Penstemon)Penstemon procerusSmallflower Penstemon (Littleflower Penstemon)Penstemon strictusRocky Montain Penstemon (Littleflower Penstemon)Phacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhlox drummondiiDrummond PhloxPhlox pilosaPrairie PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie (Longheaded) ConeflowerRatibida columniferaGrayhead (Yellow) ConeflowerRatibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia occidentalisWestern ConeflowerRudbeckia occidentalisWestern Coneflower	Papaver nudicaule	Iceland Poppy (Arctic Poppy)
Penstemon cyananthusWasatch PenstemonPenstemon digitalisFoxglove BeardtonguePenstemon eatoniiFirecracker PenstemonPenstemon grandiflorusShell Leaf Penstemon (Large-Flowered Beardtongue)Penstemon palmeriPalmer's PenstemonPenstemon procerusSmallflower Penstemon (Littleflower Penstemon)Penstemon strictusRocky Montain Penstemon (Cleftleaf Wildheliotrope)Phacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phlox drummondiiDrummond PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia laciniataWild Golden GlowRudbeckia occidentalisWestern Coneflower	Parthenium integrifolium	Wild Quinine
Penstemon digitalisFoxglove BeardtonguePenstemon eatoniiFirecracker PenstemonPenstemon grandiflorusShell Leaf Penstemon (Large-Flowered Beardtongue)Penstemon palmeriPalmer's PenstemonPenstemon procerusSmallflower Penstemon (Littleflower Penstemon)Penstemon strictusRocky Montain PenstemonPhacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhox drummondiiDrummond PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia occidentalisWestern Coneflower	Penstemon acuminatus	Sharpleaf Penstemon
Penstemon eatoniiFirecracker PenstemonPenstemon grandiflorusShell Leaf Penstemon (Large-Flowered Beardtongue)Penstemon palmeriPalmer's PenstemonPenstemon procerusSmallflower Penstemon (Littleflower Penstemon)Penstemon strictusRocky Montain PenstemonPhacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhlox drummondiiDrummond PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columniferaPrairie (Longheaded) ConeflowerRatibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia occidentalisWestern ConeflowerRudbeckia subtomentosaSweet Black-Eyed Susan	Penstemon cyananthus	Wasatch Penstemon
Penstemon grandiflorusShell Leaf Penstemon (Large-Flowered Beardtongue)Penstemon palmeriPalmer's PenstemonPenstemon procerusSmallflower Penstemon (Littleflower Penstemon)Penstemon strictusRocky Montain PenstemonPhacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhlox drummondiiDrummond PhloxPhosstegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaSweet Black-Eyed Susan	Penstemon digitalis	Foxglove Beardtongue
Penstemon grandiflorus(Large-Flowered Beardtongue)Penstemon palmeriPalmer's PenstemonPenstemon procerusSmallflower Penstemon (Littleflower Penstemon)Penstemon strictusRocky Montain PenstemonPhacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhlox drummondiiDrummond PhloxPhlox pilosaPrairie PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia laciniataWild Golden GlowRudbeckia occidentalisWestern ConeflowerRudbeckia subtomentosaSweet Black-Eyed Susan	Penstemon eatonii	Firecracker Penstemon
Penstemon procerusSmallflower Penstemon (Littleflower Penstemon)Penstemon strictusRocky Montain PenstemonPhacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhlox drummondiiDrummond PhloxPhlox pilosaPrairie PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaSweet Black-Eyed Susan	Penstemon grandiflorus	
Penstemon procerus(Littleflower Penstemon)Penstemon strictusRocky Montain PenstemonPhacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhlox drummondiiDrummond PhloxPhlox pilosaPrairie PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia occidentalisWestern ConeflowerRudbeckia subtomentosaSweet Black-Eyed Susan	Penstemon palmeri	Palmer's Penstemon
Phacelia crenulataDesert Bluebells (Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhlox drummondiiDrummond PhloxPhlox pilosaPrairie PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columniferaPrairie (Longheaded) ConeflowerRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia occidentalisWestern ConeflowerRudbeckia subtomentosaSweet Black-Eyed Susan	Penstemon procerus	
Phacelia crenulata(Cleftleaf Wildheliotrope)Phacelia tanacetifoliaLacy PhaceliaPhlox drummondiiDrummond PhloxPhlox pilosaPrairie PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columniferaPrairie (Longheaded) ConeflowerRatibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaSweet Black-Eyed Susan	Penstemon strictus	Rocky Montain Penstemon
Phlox drummondiiDrummond PhloxPhlox pilosaPrairie PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columniferaPrairie (Longheaded) ConeflowerRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaSweet Black-Eyed Susan	Phacelia crenulata	
Phlox pilosaPrairie PhloxPhysostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columniferaPrairie (Longheaded) ConeflowerRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaSweet Black-Eyed Susan	Phacelia tanacetifolia	Lacy Phacelia
Physostegia virginianaObedient PlantPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columniferaPrairie (Longheaded) ConeflowerRatibida columnifera var.Mexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaSweet Black-Eyed Susan	Phlox drummondii	Drummond Phlox
PrivinceCaracteristicPotentilla argutaPrairie CinquefoilPrairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columniferaPrairie (Longheaded) ConeflowerRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaSweet Black-Eyed Susan	Phlox pilosa	Prairie Phlox
Prairie LarkspurDelphinium VirescensPsoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columniferaPrairie (Longheaded) ConeflowerRatibida columnifera var.Mexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaSweet Black-Eyed Susan	Physostegia virginiana	Obedient Plant
Psoralea esculentaPrairie Turnip (Indian Breadroot)Pycnanthemum virginianumMountain MintRatibida columniferaPrairie (Longheaded) ConeflowerRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia subtomentosaSweet Black-Eyed Susan	Potentilla arguta	Prairie Cinquefoil
Pycnanthemum virginianumMountain MintRatibida columniferaPrairie (Longheaded) ConeflowerRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia occidentalisWestern ConeflowerRudbeckia subtomentosaSweet Black-Eyed Susan	Prairie Larkspur	Delphinium Virescens
Ratibida columniferaPrairie (Longheaded) ConeflowerRatibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia occidentalisWestern ConeflowerRudbeckia subtomentosaSweet Black-Eyed Susan	Psoralea esculenta	Prairie Turnip (Indian Breadroot)
Ratibida columnifera var. pulcherrimaMexican Hat (Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia occidentalisWestern ConeflowerRudbeckia subtomentosaSweet Black-Eyed Susan	Pycnanthemum virginianum	Mountain Mint
pulcherrima(Upright Prairie Coneflower)Ratibida pinnataGrayhead (Yellow) ConeflowerRudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia occidentalisWestern ConeflowerRudbeckia subtomentosaSweet Black-Eyed Susan	Ratibida columnifera	Prairie (Longheaded) Coneflower
Rudbeckia hirtaBlack-Eyed SusanRudbeckia laciniataWild Golden GlowRudbeckia occidentalisWestern ConeflowerRudbeckia subtomentosaSweet Black-Eyed Susan		
Rudbeckia laciniataWild Golden GlowRudbeckia occidentalisWestern ConeflowerRudbeckia subtomentosaSweet Black-Eyed Susan	Ratibida pinnata	Grayhead (Yellow) Coneflower
Rudbeckia occidentalisWestern ConeflowerRudbeckia subtomentosaSweet Black-Eyed Susan	Rudbeckia hirta	Black-Eyed Susan
Rudbeckia subtomentosa Sweet Black-Eyed Susan	Rudbeckia laciniata	Wild Golden Glow
	Rudbeckia occidentalis	Western Coneflower
Rudbeckia triloba Brown-Eyed Susan	Rudbeckia subtomentosa	Sweet Black-Eyed Susan
	Rudbeckia triloba	Brown-Eyed Susan

Lupinus x alpestris

Mountain Lupine

(Great Basin Lupine)

WILDFLOWER GUIDE

SCIENTIFIC NAME	COMMON NAME
Sagittaria latifolia	Common Arrowhead
Senna covesii	Desert Senna
Silphium integrifolium	Rosin Weed
Silphium laciniatum	Compass Plant
Silphium perfoliatum	Cup Plant
Silphium terebinthinaceum	Prairie Dock
Sisyrinchium bellum	Blue-Eyed Grass
Solidago gramnifolia	Grass-Leaved Goldenrod
Solidago nemoralis	Old Field (Gray) (Dwarf) Goldenrod
Solidago rigida	Stiff Goldenrod
Solidago speciosa	Showy Goldenrod
Sphaeralcea ambigua	Desert Globemallow
Sphaeralcea coccinea	Scarlet Globemallow
Sphaeralcea grossulariifolia	Gooseberryleaf Globemallow
Sphaeralcea munroana	Munro's Globemallow
Thalictrum dasycarpum	Purple Meadow Rue
Thermopsis montana	Mountain Goldenbanner
Tradescantia bractea	Prairie Spiderwort
Tradescantia ohiensis	Ohio Spiderwort
Verbena hastata	Blue Vervain
Verbena stricta	Hoary Vervain
Vernonia fasciculata	Ironweed
Veronicastrum virginicum	Culver's Root
Vicia americana	American Vetch
Viola pedatifida	Prairie Violet
Wyethia amplexicaulis	Mule Ears
Wyethia mollis	Woolly Mule Ears
Zizia aptera	Heart Leaf Golden Alexanders
Zizia aurea	Golden Alexanders

SHRUBS & WOODY PLANTS GUIDE					
SCIENTIFIC NAME	COMMON NAME				
Amelanchier alnifolia	Saskatoon Serviceberry				
Amorpha canescens	Leadplant				
Amorpha fruticosa	Desert False Indigo				
Artemisia cana	Silver Sagebrush				
Artemisia filifolia	Sand Sagebrush				
Artemisia frigida	Fringed Sage				
Artemisia Iudoviciana	Prairie Sage (Cudweed Sagewort)				
Artemisia nova	Black Sagebrush				
Artemisia tridentata ssp. Tridentata	Big Sagebrush				
Artemisia tridentata ssp. Wyomingensis	Wyoming Big Sagebrush				
Atriplex canescens	Fourwing Saltbrush				
Baptisia alba	White Wild (False) Indigo				
Ceanothus integerrimus	Deerbrush				
Ceanothus sanguineus	Redstem Ceanothus				
Ceanothus velutinus	Snowbrush Ceanothus				
Chrysothamnus viscidiflorus	Douglas Rabbitbrush (Low Rabbitbrush)				
Ericameria nauseosa	Rubber Rabbitbrush				
Gutierrezia sarothrae	Broom Snakeweed				
Krascheninnikovia lanata	Winterfat				
Purschia tridentata	Antelope Bitterbrush				
Rosa arksnsana	Prairie Wild Rose				
Rosa woodsii	Woods Rose				
Yucca glauca	Soapweed Yucca (Small Soapweed)				



NATIVE MIXES

We offer standard native mixes designed for a wide variety of uses. With options for grasses, wildflowers, wetlands and all combinations of environmental conditions, we have the right mix for your project. Our native mixes are designed with diversity in mind. A diverse mix can thrive in different soil types and adapt as environmental conditions change.

Whether you're looking for a dependable native grass mix, a transitional mix around water, or a flower mix to add visual appeal, we have the right mix for you. If you have specific needs, our specialists can also design custom mixes.

MILLBORN NATIVE MIX PRODUCT GUIDE

BROADCAST/COMMERCIAL SEEDING RATE PER ACRE

DRILLED SEEDING	RATE PER AC	RE			
PREMIUM BLEND	SEEDING DEPTH			PACKAGE SIZE	GROWER NOTES
Big Country	1/4''-1/2''	15 lbs	22.5–30 lbs or 1–2 bags	15 lbs	 Native warm-season grass mix Reaches 4'-6' tall at maturity Excellent deer bedding and winter cover
Little Country	1/4''-1/2''	15 lbs	22.5–30 lbs or 1–2 bags	15 lbs	 Short native grass mix Reaches 2'–3' tall at maturity Low maintenance, natural look for landscaping
MSI Tree Belt Mix	1/4''-1/2''	15 lbs	22.5–30 lbs or 1–2 bags	15 lbs	 Prevents erosion between tree rows Provides wildlife cover
MSI Native Wildflower Mix	1/4''-1/2''	5–6 lbs	7–8 lbs	1 lb	 Diverse blend of forbs Seeded alone or with grass mixes
Prairie Flower Medley Mix	1/4''-1/2''	10 lbs	15 lbs	1 lb 5 lbs with mulch	 Wildflowers that will do well in drier areas that recieve a lot of sun Grows to around 3' tall Available in bulk or 5 lbs bags
Shade Flower Medley Mix	1/4''-1/2''	10 lbs	15 lbs	1 lb 5 lbs with mulch	 Low maintenance mix Reaches 3' in height at maturity Requires four hours of filtered sunlight
Short & Showy Grass and Wildflower Mix	1/4''-1/2''	15 lbs	22.5–30 lbs or 1–2 bags	15 lbs	 Mixture of grasses and wildflowers Grows up to 2.5' in height Provides color throughout the growing season
Frontier Grass and Wildflower Mix	1/4''-1/2''	15 lbs	22.5–30 lbs or 1–2 bags	15 lbs	 Attractive all-season mixture Works well on moist soils and elevations up to 7,000 ft.

MILLBORN NATIVE MIX PRODUCT GUIDE

٦

BROADCAST/COMMERCIAL SEEDING RATE PER ACRE

DRILLED SEEDING	G RATE PER A	CRE			
PREMIUM BLEND	SEEDING DEPTH			PACKAGE SIZE	GROWER NOTES
High Country Flower Medley Mix	1/4''-1/2''	10 lbs	15 lbs	1 lb 5 lbs with mulch	 Native and introduced flowers Adapts well on sites up to 7,000 ft in elevation Does well in full sun to partial shade
Detention Basin & Rain Garden Mix	1/4''-1/2''	15 lbs	22.5–30 lbs or 1–2 bags	15 lbs	 Perfect for storm water features Grasses, flowers and wetland plants Can tolerate a variety of conditions
Wet Prairie Mix	1/4''-1/2''	15 lbs	22.5–30 lbs or 1–2 bags	15 lbs	 Perfect for overly saturated low-lying areas Provides structure and native prairie appearance
Wetland Emergent Mix	1/4''-1/2''	15 lbs	22.5–30 lbs or 1–2 bags	5 15 lbs	 Ideal transition around wetlands Performs best in full sun to partial shade Broad range of adaptability in standing water to drier areas
Western Native Reclamation Mix	1/4''-1/2''	7–10 lbs	14–18 lbs	1 lb	 Broadly adaptable Quick establishing Ideal for regenerating vegetation
Western Reclamation Mix	1/4''-1/2''	7–11 lbs	15–20 lbs	1 lb	 Contains both cool and warm-season grasses as well as native forbs Adapts well in low to mid-elevations
Western Big Game and Bird Mix	1/4''-1/2''	8–12 lbs	15–20 lbs	1 lb	 Ideal for tough growing conditions Provides nutrition and cover for big game and bird species Grows well in low to mid-elevations


77

BIG COUNTRY[™]

This predominantly warm-season grass mix will grow well in most soil conditions and will reach 4'–6' tall at full maturity. The diversity of this mix creates the structure to provide visual appeal and wildlife habitat year-round. Big Country[™] is an excellent choice for all native grassland applications although it does not meet the requirements of most conservation programs.

Drilled Seeding Rate: 15 lbs/acre Broadcast/Commercial Seeding Rate: 22.5–30 lbs/acre Planting Depth: 1/4"–1/2" Seeds per sq. ft: 45.7

43% SWITCHGRASS 21% BIG BLUESTEM 19% INDIANGRASS 10% SIDEOATS GRAMA 4% SLENDER WHEATGRASS 3% CANADA WILDRYE




LITTLE COUNTRY[™]

This short native grass mix is predominantly warm-season grasses that will reach a height of 2'–3'. Little Country[™] is a great option for providing wildlife cover that is easy to hunt, or can be used as a low maintenance way to add a natural look to your landscaping. The diversity of this mix makes it easy to grow on most sites and in most soil conditions.

Drilled Seeding Rate: 15 lbs/acre Broadcast/Commercial Seeding Rate: 22.5–30 lbs/acre Planting Depth: ¹/₄"–¹/₂" Seeds per sq. ft: 47.4

31% LITTLE BLUESTEM
31% SIDEOATS GRAMA
16% BLUE GRAMA
8% PRAIRIE JUNEGRASS
5% SAND DROPSEED
5% SLENDER WHEATGRASS
4% VIRGINIA WILDRYE



These amounts are based on percentage of population. Comparable substitutions may be necessary depending on species availability. For percentages of all species visit MillbornSeeds.com.


MSI TREE BELT MIX[™]

Made of two native warm-season grasses and one native cool-season grass, MSI Tree Belt Mix[™] is designed to provide cover between both newly planted, as well as established tree rows. The mix will help prevent erosion, as well as provide wildlife cover throughout the year.

Drilled Seeding Rate: 15 lbs/acre Broadcast/Commercial Seeding Rate: 22.5–30 lbs/acre Planting Depth: ¹/₄"–¹/₂" Seeds per sq. ft: 60

50% BLUE GRAMA 40% SIDEOATS GRAMA 10% PRAIRIE JUNEGRASS

These amounts are based on percentage of population. Comparable substitutions may be necessary depending on species availability. For percentages of all species visit MillbornSeeds.com.



79

MSI NATIVE WILDFLOWER MIX[™]

MSI Native Wildflower Mix[™] is very diverse blend of native forbs that can either be seeded alone to create a focal point in any landscape, or as an addition to any of our grass mixes. We take color, bloom period, and height structure into account when designing this mix, maximizing visual appeal and pollinator attractiveness.

Drilled Seeding Rate: 5–6 lbs/acre Broadcast/Commercial Seeding Rate: 7–8 lbs/acre Planting Depth: 1/4"–1/2" Seeds per sq. ft: 45.7

11% BLACK-EYED SUSAN

9% PLAINS COREOPSIS
8% EVENING PRIMROSE
7% PRAIRIE CONEFLOWER
7% WESTERN YARROW
5% LANCE-LEAVED COREOPSIS
5% PRAIRIE CINQUEFOIL
5% SLENDER PENSTEMON
5% WILD BERGAMOT
4% GRAYHEAD CONEFLOWER
3% BLUE FLAX
3% CULVER'S ROOT
3% HOARY VERVAIN
3% PURPLE PRAIRIE CLOVER
22% OTHERS

None of the following exceed 2% of the Total Mixture Weight:


- Anise Hyssop Blanketflower Butterfly Milkweed Canada Milkvetch Common Milkweed False Sunflower Foxglove Beardtongue Heath Aster Illinois Bundleflower Indian Blanket
- Maximilian Sunflower New England Aster Partridge Pea Prairie Blazingstar Purple Coneflower Rocky Mountain Bee Plant Show Tick Trefoil Smooth Blue Aster Stiff Goldenrod White Prairie Clover

PRAIRIE FLOWER MEDLEY MIX[™]

Prairie Flower Medley Mix[™] is a mix of wildflowers that will do well in drier areas that receive a lot of sun. This mix can add a splash of color to your property. At maturity, this mix will grow to around 3' tall. Prairie Flower Medley is available either in bulk or in 5 lb bags that are premixed with mulch, making application a breeze.

Drilled Seeding Rate: 10 lbs/acre **Broadcast/Commercial Seeding Rate:** 15 lbs/acre **Planting Depth:** ¹/₄"-¹/₂"

15% BABY'S BREATH 12% SIBERIAN WALLFLOWER 8% AFRICAN DAISY 8% "POLKA DOT" CORNFLOWER MIX 8% CALIFORNIA POPPY 8% BLANKETFLOWER 8% INDIANBLANKET 8% BLUE FLAX 25% OTHER WILDFLOWER SPECIES




These amounts are based on percentage of population. Comparable substitutions may be necessary depending on species availability. For a full list of other species not listed, visit MillbornSeeds.com.

SHADE FLOWER MEDLEY MIX[™]

Shade Flower Medley Mix[™] is a great way to add color in areas that can be difficult to establish and maintain grass. This low maintenance mix will grow to 3' in height and requires little moisture. This mix of flowers will do well in shady areas but will require at least four hours of filtered sunlight to succeed.

Drilled Seeding Rate: 10 lbs/acre **Broadcast/Commercial Seeding Rate:** 15 lbs/acre **Planting Depth:** 1/4"-1/2"

20% CHINESE FORGET-ME-NOT 20% "POLKA DOT" CORNFLOWER MIX 10% SWEET WILLIAMS PINK 8% LANCE LEAVED COREOPSIS 7% ROCKET LARKSPUR 7% ANNUAL BABY'S BREATH 28% OTHER WILDFLOWER SPECIES



SHORT & SHOWY GRASS AND WILDFLOWER MIX[™]

Short & Showy Grass and Wildflower Mix[™] is a low maintenance mixture of native grasses and wildflowers that works well on most sites. This mix will grow up to around 2.5' in height and provide color throughout the growing season. The low maintenance durability of this mix makes it a perfect fit for every site from a steep shoreline to a back lot or property border.

Drilled Seeding Rate: 15 lbs/acre Broadcast/Commercial Seeding Rate: 22.5–30 lbs/acre Planting Depth: ¹/4"–¹/2" Seeds per sq. ft: 57.3

24% LITTLE BLUESTEM 21% SIDEOATS GRAMA

Z1% SIDEOATS GRAMANone of the following ex7% BLACK-EYED SUSANBlanketflower7% PLAINS COREOPSISBlue Flax7% WESTERN YARROWLance-Leaved Coreopsis7% BLUE GRAMA4% PRAIRIE CONEFLOWER4% PRAIRIE JUNEGRASS3% FOXGLOVE BEARDTONGUE3% FOXGLOVE BEARDTONGUE3% VIRGINIA WILDRYE10% OTHER GRASS AND WILDFLOWER SPECIES

None of the following exceed 2% of the Total Mixture Weight:


Ohio Spiderwort Purple Coneflower White Prairie Clover Sand Dropseed

FRONTIER GRASS AND WILDFLOWER MIX[™]

Frontier Grass and Wildflower Mix[™] is a low maintenance, yet attractive mixture for anywhere you need all-season color. With hard, durable grasses that come back year after year, it works well on most soils and elevations up to 7,000 ft.

Drilled Seeding Rate: 15 lbs/acre Broadcast/Commercial Seeding Rate: 22.5–30 lbs/acre Planting Depth: ¹/₄"–¹/₂" Seeds per sq. ft: 37

14% IDAHO FESCUE 13% SLENDER WHEATGRASS 10% WESTERN WHEATGRASS 8% BLUEBUNCH WHEATGRASS 8% MOUNTAIN BROME 7% PRAIRIE JUNEGRASS 6% PLAINS COREOPSIS 5% BLACK-EYED SUSAN 5% LITTLE BLUESTEM 5% PRAIRIE SANDREED 3% PRAIRIE CONEFLOWER 3% FRINGED BROME 3% SANDBERG BLUEGRASS 10% OTHER WILDFLOWER SPECIES




These amounts are based on percentage of population. Comparable substitutions may be necessary depending on species availability. For a full list of other species not listed, visit MillbornSeeds.com.

HIGH COUNTRY FLOWER MEDLEY MIX[™]

High Country Flower Medley Mix[™] is a blend of native and introduced flowers that will work well on most sites up to an elevation of 7,000 ft. This medley prefers dry to mesic soil and does well in full sun to partial shade. With good growing conditions, this mix will reach a height of 3'.

Drilled Seeding Rate: 10 lbs/acre **Broadcast/Commercial Seeding Rate:** 15 lbs/acre **Planting Depth:** ¹/₄"-¹/₂"

15% PERENNIAL LUPINE
14% BLANKETFLOWER
12% ANNUAL CANDYTUFT
12% CALIFORNIA POPPY
8% CORN POPPY
8% BLUE FLAX
25% OTHER WILDFLOWER SPECIES



DETENTION BASIN & RAIN GARDEN MIX™

Detention Basin & Rain Garden Mix[™] is a perfect fit for designed storm water features where both form and function are priorities. This low maintenance mixture of grasses, flowers and wetland plants is as adaptable as it is diverse. This mix will work well on a variety of sites and can tolerate changes from dry conditions to standing water and excels in locations that temporarily flood and then drain out. With full sun or partial shade, this mix will reach 5'–7'.

Drilled Seeding Rate: 15 lbs/acre Broadcast/Commercial Seeding Rate: 22.5–30 lbs/acre Planting Depth: ¹/₄"–¹/₂" Seeds per sq. ft: 97.9

14% DARK GREEN BULRUSH

13% WOOL GRASS 7% DUDLEY'S RUSH 6% SWITCHGRASS 6% BROWN FOX SEDGE 5% AMERICAN MANNAGRASS 5% BIG BLUESTEM 5% CANADA BLUEJOINT 4% MONKEY FLOWER 4% INDIANGRASS 4% VIRGINIA WILDRYE 4% TORREY'S RUSH 23% OTHERS

None of the following exceed 2% of the Total Mixture Weight:

American Water Plantain Black-Eyed Susan Blue Vervain Boneset **Cardinal Flower** Cream Gentian Flat-Topped Aster Great Blue Lobelia Great St. John's Wort Marsh Blazingstar Mountain Mint New England Aster Nodding Bur Marigold Prairie Dock Seedbox Sneezeweed

Swamp Milkweed Sweet Black-Eyed Susan Sweet Flag Sweet Joe Pye Weed Canada Wildrye Fringed Brome Prairie Cordgrass Bebb's Sedge Porcupine Sedge River Bulrush Smooth-cone Sedge Softstem Bulrush Three Square Rush Wheat Sedge Yellow Fruit Sedge


WET PRAIRIE MIX[™]

This low maintenance mixture of native grasses, wildflowers and wetland plants is a perfect fit for low lying areas that are frequently saturated. Wildflowers will provide color while the grasses and wetland plants will provide structure and a native prairie appearance to areas that are tough to utilize due to wet conditions.

Drilled Seeding Rate: 15 lbs/acre Broadcast/Commercial Seeding Rate: 22.5–30 lbs/acre Planting Depth: ¹/₄"–¹/₂" Seeds per sq. ft: 62.6

10% WOOL GRASS 9% BIG BLUESTEM 8% INDIANGRASS 7% FOWL BLUEGRASS 7% SWITCHGRASS 7% VIRGINIA WILDRYE 6% CANADA BLUEJOINT 5% AMERICAN MANNAGRASS

5% FOWL MANNAGRASS 5% DARK GREEN BULRUSH 3% SEEDBOX 3% FRINGED BROME 25% OTHER WILDFLOWER AND GRASS SPECIES



These amounts are based on percentage of population. Comparable substitutions may be necessary depending on species availability. For a full list of other species not listed, visit MillbornSeeds.com.


WETLAND EMERGENT MIX[™]

Wetland Emergent Mix[™] is ideal for transition areas around wetlands. The diversity of the mix allows it to adapt and excel in standing water, normally dry soils, and everything in between. Ideal uses are along shorelines, ponds, marshes, and sloughs. Mixture height will vary depending on environmental conditions and will perform best in full sun to partial shade.

Drilled Seeding Rate: 15 lbs/acre Broadcast/Commercial Seeding Rate: 22.5–30 lbs/acre Planting Depth: ¹/₄"–¹/₂" Seeds per sq. ft: 37

15% WOOL GRASS 11% AMERICAN SLOUGHGRASS 10% FOWL MANNAGRASS 10% BROWN FOX SEDGE 10% DARK GREEN BULRUSH 7% MONKEY FLOWER 6% AMERICAN MANNAGRASS 5% TORREY'S RUSH 4% AMERICAN WATER PLANTAIN 4% SEEDBOX 4% CANADA BLUEJOINT 3% RICE CUT GRASS 11% OTHER WILDFLOWER





WESTERN NATIVE RECLAMATION MIX[™]

Millborn's Western Native Reclamation Mix[™] is broadly adaptable and quick establishing. It contains both cool and warm season native grasses, as well as native forbs that will flourish in low to mid elevations. The purpose of this mix is to regenerate vegetation on disturbed soils.

Drilled Seeding Rate: 7–10 lbs/acre Broadcast/Commercial Seeding Rate: 14–18 lbs/acre Planting Depth: ¹/₄"–¹/₂"

10% TRITICALE 10% WESTERN WHEATGRASS 8% GREEN NEEDLEGRASS 8% SLENDER WHEATGRASS 6% BLUEBUNCH WHEATGRASS 5% BLUE GRAMA 5% CANADA WILDRYE 5% IDAHO FESCUE 5% LITTLE BLUESTEM 5% PRAIRIE JUNEGRASS 5% PRAIRIE SANDREED 5% SIDEOATS GRAMA 5% THICKSPIKE WHEATGRASS 4% SAND DROPSEED 4% SANDBERG BLUEGRASS 10% OTHERS

None of the following exceed 3% of the Total Mixture Weight:


American Water Plantain Buffalograss Black-Eyed Susan Blanketflower Indian Rice Grass Prairie Coneflower Rocky Mountain Bee Plant Western Yarrow

WESTERN RECLAMATION MIX[™]

Millborn's Western Reclamation Mix[™] is designed to offer a quick establishing option after an area of ground has been disturbed. It contains all cool season grasses and legumes which allow for fast germination and excellent ground cover.

Drilled Seeding Rate: 7–11 lbs/acre **Broadcast Seeding Rate:** 15–20 lbs/acre **Planting Depth:** ¹/₄"–¹/₂"

15% CRESTED WHEATGRASS 15% TIMOTHY 15% CANADA BLUEGRASS 15% SLENDER WHEATGRASS 10% ANNUAL RYEGRASS 10% SHEEP'S FESCUE 10% WESTERN WHEATGRASS 5% FALCATA ALFALFA 5% THICKSPIKE WHEATGRASS



These amounts are based on percentage of population. Comparable substitutions may be necessary depending on species availability. For a full list of other species not listed, visit MillbornSeeds.com.


WESTERN BIG GAME AND BIRD MIX[™]

Millborn's Western Big Game and Bird Mix[™] is designed to handle the tough growing conditions of the western states. This mix will provide superb cover while providing nutrition and attraction for all western big game and bird species, and will grow in low to mid elevations.

Drilled Seeding Rate: 8–12 lbs/acre **Broadcast Seeding Rate:** 15–20 lbs/acre **Planting Depth:** ¹/₄"–¹/₂"

15% TALL WHEATGRASS 15% WESTERN WHEATGRASS 10% GREEN NEEDLEGRASS 10% SANDBERG BLUEGRASS 10% SLENDER WHEATGRASS 5% ALFALFA 5% SAINFOIN 5% INTERMEDIATE WHEATGRASS 5% PUBESCENT WHEATGRASS 5% BLUEBUNCH WHEATGRASS 5% THICKSPIKE WHEATGRASS 10% OTHERS

These amounts are based on percentage of population. Comparable substitutions may be necessary depending on species availability. For a full list of other species not listed, visit MillbornSeeds.com.



87



PRIMÂL

We've used years of real-life experiences and customer feedback to develop and fine tune our line of food plot mixes. It's our goal to continue to improve and evolve our lineup to meet the needs of our customers, while providing specialist knowledge to take your food plot from a drawing on a map, to something you'd be proud to show to your hunting buddies.

So, whether you're trying to hold more roosters on your property, chasing spring gobblers or growing the biggest deer in your neighborhood, Primal Food Plots[®] offers a mix that will provide results and specialists to help you get there.

Visit PRIMALFOODPLOTS.COM

(f) 🕑 🎯

PLANTING FOOD PLOTS

PLANTING TIME

Pheasant food plots are typically planted in late spring (mid-May through mid-June) or when soil temperatures reach 60° F. When planting deer food plot mixes, the best time to seed is late summer to early fall, typically August through beginning of September, depending on your location. For more specific recommendations, see our zone maps for each big game food plot.

WEED CONTROL

If you have a grass or weed problem, use Poast[®] herbicide and apply at 1.5-2.5 pints/acre. If you have a broadleaf weed problem, use Pursuit[®] herbicide and apply at 3-6 ounces/acre. For more information, please see the Food Plot Herbicide Guide on page 105.

BEST LATE SEASON DEER FOOD PLOT

Green Beast[™] and Final Stand[™] are the two best late-season food plot mixes. You can plant individually or mix together.

UPLAND GAME PRODUCT GUIDE

BROADCAST SEEDING RATE PER ACRE

DRILLED SEED	NG RATE PER A	ACRE			
PREMIUM BLEND	SEEDING DEPTH			PACKAGE SIZE	GROWER NOTES
Double Barrel	1/2"	8 lbs	12 lbs	50 lb bags	Ingredients: Longtail Delight [™] and Pheasant Pheast [™] Height: Ranges 3.5' to 5' Maturity: 70–95 days Plant Date: Late Spring
Longtail Delight	1/2"	8 lbs	12 lbs	50 lb bags	Ingredients: White Grain Smart Sorghum [™] (Milo) Height: Ranges 3.5' to 4' Maturity: 70–80 days Plant Date: Late Spring
Pheasant Pheast	1/2"	8 lbs	12 lbs	50 lb bags	Ingredients: Red Grain Smart Sorghum [™] (Milo) Height: Ranges 3.5' to 5' Maturity: 80–95 days Plant Date: Late Spring
Over Under	1/2"	8 lbs	12 lbs	24 lb or 50 lb bags	Ingredients: Longtail Delight (White Milo), Pheasant Pheast, and Forage Sorghum Height: Ranges 3.5' to 7' Maturity: 70–95 days Plant Date: Late Spring
Final Flush	1/2"	20 lbs	20 lbs	20 lb or 50 lb bags	Ingredients: Longtail Delight [™] (White Milo), Pheasant Pheast™ (Red Milo), Oats, Sunflower, White Proso Millet, Buckwheat, Forage Sorghum, Mustard, Flax, Phacelia, Crimson Clover, Sunn Hemp Height: Ranges 2' to 7' Maturity: 70–80 days Plant Date: Mid–Late Spring

DOUBLE BARREL[™]

Double Barrel[™] provides benefits of both Longtail Delight[™] (White Milo) and Pheasant Pheast[™] (Red Milo) in one package.

Ingredients: Longtail Delight[™] (White Milo), Pheasant Pheast[™] (Red Milo) Height: Ranges 3.5' to 5' Maturity: 70–95 days Plant Date: Late Spring — soil temps > 60° Drilled Seeding Rate: 8 lbs/acre Broadcast Seeding Rate: 12 lbs/acre Seed Depth: ½" Package: 50 lb bags

FOOD PLOT POWER TIP

Don't jump the gun and seed too early in the spring. Sorghum is a warm-season species and will not respond well to cold temperatures after establishment. The quick maturing varieties allow for plenty of time to reach seed production before hunting season.



LONGTAIL DELIGHT[™]

Longtail Delight[™] is a multifunctional food source, providing nutrition and protection for upland game birds throughout the fall and winter months. It features the earliest maturing Milo available, which is beneficial for northern states. Its short stature provides maximum visibility of your hunting dog.

Ingredients: White Grain Smart Sorghum[™] (Milo) Height: Ranges 3.5' to 4' Maturity: 70–80 days Plant Date: Late Spring — soil temps > 60° Drilled Seeding Rate: 8 lbs/acre Broadcast Seeding Rate: 12 lbs/acre Seed Depth: ½'' Package: 50 lb bags





PHEASANT PHEAST[™]

Pheasant Pheast[™] is desired by upland game birds because it provides them with daily energy and a protective structure for survival. Its seed will become sweeter in taste as the plant matures.

Ingredients: Red Grain Smart Sorghum[™] (Milo) Height: Ranges 3.5' to 5' Maturity: 80–95 days Plant Date: Late Spring — soil temps > 60° Drilled Seeding Rate: 8 lbs/acre Broadcast Seeding Rate: 12 lbs/acre Seed Depth: ½" Package: 50 lb bags

FINAL FLUSH[™]

Final Flush[™] is an intelligent blend that provides a diverse, yearlong food source necessary for chick and adult pheasant survival. It also provides excellent winter habitat and hunting cover.

Ingredients: Longtail Delight[™] (White Milo), Pheasant Pheast[™] (Red Milo), Oats, Sunflower, White Proso Millet, Buckwheat, Forage Sorghum, Mustard, Flax, Phacelia, Crimson Clover, Sunn Hemp

Height: Ranges 2' to 7' Maturity: 70–80 days Plant Date: Mid–Late Spring Drilled Seeding Rate: 20 lbs/acre Broadcast Seeding Rate: 20 lbs/acre Seed Depth: ½" Package: 20 lb or 50 lb bags

FOOD PLOT POWER TIP

Due to its diversity of species, Final Flush is limited in post-emergent chemical options. You'll want to rotate into a chemical tolerant mix like Double Barrel[™] to control your weed bank over the years.



OVER UNDER[™]

Over Under[™] was designed to enhance our standard sorghum food plots by increasing the height structure of the mix. This mix is excellent for hunters and can provide more diversity and winter cover than your conventional sorghum planting.


Ingredients: Longtail Delight (White Milo), Pheasant Pheast, and Forage Sorghum Height: Ranges 3.5' to 7' Maturity: 70–95 days Plant Date: Late Spring — soil temps > 60° Drilled Seeding Rate: 8 lbs/acre Broadcast Seeding Rate: 12 lbs/acre Seed Depth: 1/2" Package: 24 lb or 50 lb bags

FOOD PLOT POWER TIP

Seed Over Under at the end of your food plots to help keep your birds held at the end of your plots. With the taller structure, birds are more likely to fly straight up, allowing for a safer shooting experience for walkers and blockers.



BIG GAME PRODUCT SELECTOR



BIG GAME PRODUCT GUIDE

BROADCAST SEEDING RATE PER ACRE

DRILLED SEEDIN	G RATE PER AC	RE			
PREMIUM BLEND	SEEDING DEPTH			PACKAGE SIZE	GROWER NOTES
Green Beast	1/4"	8 lbs	8 lbs	4 lb or 40 lb bags	› Late-season kill plot
Final Stand	¹ /2"-1"	100 lbs	100 lbs	50 lb bags	 Quick establishing Ideal for early seasons
Elkridge Greens	1/4"-1/2"	40 lbs	60 lbs	40 lb bags	› High protein content› Drought resilient
Whitetail Premium	1⁄4"	10 lbs	10 lbs	5 lb bags	 > Spring through early fall food source > Shade tolerant
Elevate	1/4"	10 lbs	10 lbs	5 lb bags	 Nitrogen fixing for fall plots Soil building
Center Stage	1/4''-1/2''	30 lbs	30 lbs	15 lb bags	 Yearlong attractiveness Diverse species
Hideout	1/2"	15 lbs	15 lbs	15 lb bags	 Privacy screen for stand access
Primal Soybeans	1"- 1 ½"	50 lbs	50 lbs	50 lbs bags	 High yielding Attractive summer through winter
Sierra Flats	1/2"	15 lbs	15 lbs	15 lb bags	 Perennial western blend Hardy food source for poor soil

97

GREEN BEAST[™]


BACK BY POPULAR DEMAND! Green Beast[™] is a highly digestible protein source for deer during the harsh winters. This blend of New Zealand brassicas is ideal for forage production and provides excellent nutrition. After the first frost, deer graze the sweet leafy top growth of the plant until grazing the bulbs as the snow starts to fall. While promoting deer health, Green Beast is the mix you need for hunting small plots late in the season.

Protein Content: Up to 34% protein Seeding Rate: 8 lbs/acre Seed Depth: 1/4" Durability: Ability to withstand 10°F temperatures Package: 4 lb or 40 lb bags **Planting Zones:** Zone 1: Late Summer

Zone 2: Late Summer, Early Fall Zone 3: Fall Zone 4: Not Recommended *Plant at least 50 days before the typical first frost.

FOOD PLOT POWER TIP

Mix with Final Stand to create a longer attraction and food source for your deer herd.





FINAL STAND[™]


Final Stand[™] provides deer with a nutritious, green food source for fall and winter months and is highly attractive late into hunting season. Ready to hunt in 2–3 weeks, this deadly archery blend is able to withstand browsing pressure.

Protein Content: Up to 18% protein Seeding Rate: 100 lbs/acre Seed Depth: ¹/₂" to 1" Durability: Rye grain and forage winter wheat boost cold tolerance Package: 50 lb bags Planting Zones: Zone 1: Late Summer, Early Fall

Zone 2: Late Summer, Early Fall
Zone 3: Fall (Plant at least 50 days before first frost.)
Zone 4: Not Recommended
*Plant at least 50 days before the typical first frost.

FOOD PLOT POWER TIP

Mix with Green Beast to create a longer attraction and food source for your deer herd.





ELKRIDGE GREENS™

ElkRidge Greens[™] was designed with a high-producing, high-protein food source in mind. The mix of cool-season grains and brassicas makes it an excellent choice when both year-round and late-season forage attraction is desired.

Drilled Seeding Rate: 40 lbs/acre Broadcast Seeding Rate: 60 lbs/acre Planting Depth: ¼"–½" Package: 40 lb bags Planting Zones: Zone 1: Late Summer Zone 2: Late Summer, Early Fall

Zone 3: Fall Zone 4: Early Summer

*Plant at least 50 days before the typical first frost.

FOOD PLOT POWER TIP

Consider planting ElkRidge Greens where moisture is limited. The standing vegetation will capture and conserve moisture, allowing for a quicker and more even establishment.

WHITETAIL PREMIUM[™]


Whitetail Premium[™] provides deer with excellent nutrition to enhance antler growth, body size, and overall health of the deer herd. The unique blend of clovers and other perennial broadleaves provides, high protein, lush green growth and a forage source all year long. It is the combination of high nutrition and robust regrowth both deer and turkeys cannot resist.

Protein Content: Up to 30% protein Seeding Rate: 10 lbs/acre Seed Depth: 1/4" Package: 5 lb bags **Planting Zones:**

Zone 1: Spring, Late Summer Zone 2: Spring, Late Summer Zone 3: Early Spring, Fall Zone 4: Not Recommended

FOOD PLOT POWER TIP

Whitetail Premium is partially shade tolerant, allowing it to grow in thicker stands of trees or vegetation. However, it will still require at least four hours of sunlight per day.





ELEVATE[™]

Elevate[™] is the perfect mix to suppress weeds, save fertilizer costs and build soil in the summer months. This mix of annual clovers provides nutritional summer forage by adding nitrogen to your soil, improving water absorption, and preventing unwanted insects.

Seeding Rate: 10 lbs/acre Seed Depth: 1/4" Package: 5 lb bags Planting Zones: Zone 1: Early Spring

Zone 2: Early Spring Zone 3: Early Spring Zone 4: Not Recommended

FOOD PLOT POWER TIP

If planted early enough, Elevate will help fix nitrogen for your fall green plots. Simply terminate and work in the soil before you plant Green Beast and/or Final Stand and save on fertilizer costs.





CENTER STAGE[™]

Center Stage[™] is a mixture of various clovers, forbs, herbs, and grains that provides excellent regrowth for 1–3 years. The combination of hearty grains and perennial broadleaves is a multi-benefit. From the green source in the spring months and a food source in the summer and fall months, Center Stage provides excellent year-long forage for deer, turkeys, and other wildlife.

Protein Content: Up to 32% protein Seeding Rate: 30 lbs/acre Seed Depth: 1⁄4"-1⁄2" Package: 15 lb bags Planting Zones: Zone 1: Spring, Late Summer Zone 2: Spring, Fall Zone 3: Fall

Zone 4: Not Recommended

FOOD PLOT POWER TIP

Sometimes the best food plots are smaller, more secluded. If you allow yourself to shoot to all corners of the plot, you will have more success.

HIDEOUT™

Hideout is a quick-establishing food plot blend that provides height of 8'–12'. This mix creates a privacy screen around food plots for undetected ease in and out of your stand, while providing structure in your plots.


Ingredients: Specialized Sorghum Hybrid, Egyptian Wheat, Pearl Millet

Height: Ranges 8'–12' Maturity: 70–100 days Seeding Rate: 15 lbs/acre Seed Depth: ½" Package: 15 lb bags Planting Zones:

Zone 1: Late Spring, Early Summer
Zone 2: Late Spring, Early Summer
Zone 3: Late Spring, Early Summer
Zone 4: Not Recommended
*Plant when soil temps reach > 60°.

FOOD PLOT POWER TIP

Do not exceed the 15 lbs/acre suggested seeding rate. By increasing the seeding rate, you will see shorter, weaker plants that won't reach full maturity.





PRIMAL SOYBEANS

Soybeans will provide a high-quality food source for deer throughout the year. Primal Soybeans have excellent standability to combat harsh midwest winters and are shatter resistant, retaining grain for deer to forage on.

Seeding Rate: 50 lbs/acre Seed Depth: 1" to 1 ¹/2" Package: 50 lb bags Planting Zones:

Zone 1: Late Spring, Early Summer
Zone 2: Late Spring, Early Summer
Zone 3: Late Spring, Early Summer
Zone 4: Not Recommended
*Plant when soil temps reach > 60°.

FOOD PLOT POWER TIP

Primal[™] Soybeans are developed to produce a high forage food source. If a late-season pod producing variety is desired, consider adding a variety to suit those needs as well.





SIERRA FLATS[™]

Sierra Flats[™] was designed to provide a year-long perennial browse and protein source for western game animals. Specifically designed for the correct environment, this blend of legumes and cool-season grasses is a suburb choice for any wildlife manager.

Drilled Seeding Rate: 15 lbs/acre Planting Depth: ½" Package: 15 lb bags Planting Zones: Zone 1: Spring, Late Summer Zone 2: Spring, Fall Zone 3: Fall Zone 4: Spring

FOOD PLOT POWER TIP

Sierra Flats[™] offers a perennial food plot option, so planning and location are key. Establish this plot on an area according to predominant winds, topography, and past wildlife patterns.

FOOD PLOT FERTILITY GUIDE

	_	APPLICATION (LBS/ACRE)			
CROP	SOIL FERTILITY LEVEL	NITROGEN (N)	PHOSPHORUS (P ₂ O ₅)	POTASSIUM (K ₂ O)	
Double Barrel [™]	High	20	0	0	
Longtail Delight [™] Pheasant Pheast [™]	Medium	50	30	30	
Hideout [™]	Low	70	45	50	
	High	0	0	0	
Whitetail Premium [™]	Medium	0	25	35	
	Low	0	60	70	
	High	20	0	0	
Green Beast [™] ElkRidge Greens [™]	Medium	35	20	25	
	Low	50	40	50	
	High	10	0	0	
Final Stand [™]	Medium	25	10	40	
	Low	40	30	70	
	High	0	0	0	
Primal Soybeans	Medium	0	10	15	
	Low	0	35	50	
	High	10	0	0	
Center Stage [™] Sierra Flats™	Medium	20	20	35	
Sicilariado	Low	30	40	70	
	High	20	0	0	
Final Flush [™]	Medium	35	20	25	
	Low	50	40	50	
	High	0	0	0	
Elevate™	Medium	0	30	30	
	Low	30	50	60	

*Rates are recommended if no soil test is taken. Knowing your previous crop and having a soil sample will ensure a more accurate fertility plan.

104

FOOD PLOT HERBICIDE GUIDE

CONTROL METHOD (C=CONTACT, R=RESIDUAL)

WEEDS CONTROLLED (B = BROADLEAVES, G = GRASSES)						
CROP	TIMING	PRODUCT (ACTIVE INGREDIENT)				
		Atrazine® 4L (Atrazine)	В	C, R		
		Dual II Magnum [®] (S-Metolachlor)	B, G	R		
	PRE-EMERGENCE	Explorer® (Mesotrione)	В	C, R		
Double Barrel [™]		Makaze® (Glyphosate)	B, G	С		
Longtail Delight [™]		Sharpen [®] (Saflufenacil)	В	C, R		
Pheasant Pheast [™]		2,4-D Amine (2,4-D)	В	С		
		Atrazine® 4L (Atrazine)	В	C, R		
	POST-EMERGENCE	Broclean® (Bromoxynil)	В	С		
		Rifle [®] (Dicamba)	В	С		
		Starane® Ultra (Fluroxypyr)	В	С		
	PRE-EMERGENCE	Makaze® (Glyphosate)	B, G	С		
Hideout		Broclean® (Bromoxynil)	В	С		
	POST-EMERGENCE	Starane® Ultra (Fluroxypyr)	В	С		
Final Flush™ Center Stage™ Elevate™ Sierra Flats™	PRE-EMERGENCE	Makaze® (Glyphosate)	B, G	С		
	PRE-EMERGENCE	Makaze® (Glyphosate)	B, G	С		
Whitetail Premium [™]		Poast® (Sethoxydim)	G	С		
	POST-EMERGENCE	Pursuit® (Imazethapyr)	B, G	С		
	PRE-EMERGENCE	Makaze® (Glyphosate)	B, G	С		
Green Beast [™] ElkRidge Greens [™]	POST-EMERGENCE	Poast® (Sethoxydim) *Green Beast only.	G	С		
		Stinger® (Clopyralid)	В	С		
		Makaze® (Glyphosate)	B, G	С		
Final Stand [™]	PRE-EMERGENCE	Sharpen® (Saflufenacil)	В	C, R		
		Dual II Magnum [®] (S-Metolachlor)	G	R		
	PRE-EMERGENCE	Makaze [®] (Glyphosate)	B, G	С		
Primal [™] Soybeans		Makaze® (Glyphosate)	B, G	С		
, , , , , , , , , , , , , , , , , , ,	POST-EMERGENCE	Mongoose® (Lactofen)	В	С		
		Poast [®] (Sethoxydim)	G	С		

*Always read and follow label instructions and consult your local chemical dealer and seed dealer before making any applications.



TURF

From standard to specialized, Millborn's turf mix lineup is as diverse as it is precise. Every turf mix features premium grass seed and a strategically designed mixture of grass seed species.

Whether you are a homeowner, landowner, contractor, or sports complex director, Millborn's turf mixes have helped thousands of people serious about transforming their turf project into a success.

PLANTING TURF

PLANTING METHOD

A seed drill does the best job of ensuring seed to soil contact. If a drill is not available, for new plantings, broadcast the seed and follow up with a drag or rake. If broadcasting into existing turf, core aerate the area prior to seeding.

SEEDING RATE

Different lawn mixes have different seeding rates based on the characteristics of each plant type. Under most circumstances we recommend following prescribed seeding rates. Using less seed than recommended can allow room for weeds to take hold and using more can change the permanent composition of the turf mix. The exception is that when hydroseeding it is recommended that the seeding rate be increased by 50%.

WEED CONTROL

The best way to control weeds is to keep your turf as healthy as possible. This is accomplished in several ways including watering, fertilizing and core aerating annually. Another simple change that can have a major impact is to increase the mowing height to around 3". If weeds persist, apply Speedzone® for broadleaf weeds or Tenacity for a preemergence solution for crabgrass and other grassy weeds. (Refer to page 123 for a full list of herbicides.) When planting seed and applying weed control follow label instructions for application times, rates and how long to wait before seeding can occur.


LAWN CARE

There is no specific time to wait when fertilizing before or after seeding if its straight fertilizer. If applying fertilizer with weed control, follow the manufacturer's instructions. Turf fertility treatment is a personal choice. To get the best performance out of your turf we recommend 4 fertilizer treatments per year. (See pages 122–123 for further details on fertilizer treatments.) Following our 4-step fertilizer program will result in a thicker, more attractive turf, but also means more watering and mowing. We recommend aerating your yard once a year in the fall to reduce soil compaction and allow the roots more room to grow, making for a healthier lawn.

WATERING

For new seedings, watering 2–4 times per day is recommended, until grass has fully emerged. The goal at this stage is to keep the ground surface damp. For established lawns, there are several factors to consider such as natural precipitation, daily temperatures, and amount of sunshine. During the hottest months of the summer, a total of 1" per week of moisture either from rain or sprinkler is usually about right. Around a 3" mowing height is ideal. Many people mow their lawns way too short, and then fight weeds and use extra water to keep them looking good, or just give up.

TURF PRODUCT SELECTOR



TURF PRODUCT GUIDE

		BEST USES	ESTABLISH RATE	COST	SHADE	COLD	DROUGHT	TRAFFIC	GROWTH HABIT	SEEDING RATE PER 1,000 SQ FT.
GK Elite		 Meticulous lawns & sports fields Requires good fertility Will match most bluegrass sod Irrigated 	21–28 Days	\$\$\$	*	**	*	***		4 lbs
Quality Sun & Shade		 Any situation High quality, adaptable turf Irrigated or non-irrigated 	14–28 Days	\$\$	**	***	**	**		5–6 lbs
Tough Play Tough Play RTF	STANDARD MIXES	 > Sports fields/high traffic > Drought tolerant > Irrigated or non-irrigated 	14–21 Days	\$\$\$	**	**	***	***	Rhizome Bunch	8–9 lbs
Fairgrounds	STANDA	 Adaptable turf Tree belts and out-buildings Non-irrigated 	14–28 Days	Ş	**	**	**	**	Rhizon	2 lbs
Heartland		 Grows well in most soil types Drought and shade tolerant Durable, low maintenance lawns 	14–28 Days	\$\$	**	**	***	**		5–6 lbs
Landscaper's Blend		 Any situation Economical version of Quality Sun & Shade Irrigated or non-irrigated 	14–28 Days	\$	**	**	**	**		5–6 lbs
Deluxe Interseeder		 Overseed existing lawns and sports fields Irrigated 	14–28 Days	\$\$\$	*	**	*	***		5–6 lbs
Supreme Shade		 Shady and transition areas Irrigated or non-irrigated 	14–28 Days	\$\$	***	**	***	**	Rhizome Bunch	6–7 lbs
Boulevard Blend	Y MIXES	 Harsh, salty areas Irrigated or non-irrigated 	14–28 Days	\$\$	**	***	**	**	Rhizom	6–7 lbs
Developer's Mix	SPECIALTY MIXES	 Low cost, new developments Quick establishment Provides greenery and cover for 3–5 years 	7–14 Days	Ş	*	**	***	*		2–4 lbs
Ultimate Sports Mix		 Highly durable Irrigated 	21–28 Days	\$\$\$	*	***	*	***	Rhizome	4 lbs
Premium Tall Fescue		 Sports fields Does best with some irrigation Requires less water and fertilizer than Kentucky Bluegrass 	14–21 Days	\$\$\$	**	**	***	***	Bunch	8–10 lbs
EZ Lawn	IATIVE ES	 No mow Alternative lawn Irrigated or non-irrigated 	21–28 Days	\$	***	**	***	**	Rhizome Bunch	6–7 lbs
Great Plains	ALTERNATIVE MIXES	 No mow Use in place of Buffalograss lawn Low fertility areas Non-irrigated 	21–28 Days	\$\$\$	**	***	***	**	Bunch Stolon	4 lbs

BEAUTIFUL LAWNS MADE SIMPLE.

SCHEDULE YOUR PLANTING

PLANTING NEW LAWNS

- Spring planting should be done from April through early June.
- Fall planting should be done between August and mid-September.
- Dormant plantings can be done when the ground temperature is expected to remain below 50° F (typically late October or early November). Seeding can continue until the soil is too frozen to be workable.

PREPARE YOUR SOIL

- 6" or more of premium black top soil.
- If weeds are present, apply Roundup[®] and allow 14 days before planting seed.
- > Remove rocks and other debris.
- > Till the top 4"-6" of soil.
- Roll pack the soil so when you walk on it, you don't sink more than ¹/₂" into it.

INSTALL EROSION CONTROL

 Install an erosion control blanket to protect against erosion, help with germination, and prevent washout.

APPLY FERTILIZER

- Apply fertilizer such as 13-13-13 or Sustane[®] 4-6-4.
- Roll pack, rake or drag broadcast seed one time to ensure good soil contact.

PLANT MILLBORN SEED

- > Use a broadcaster or drill.
- Apply at a half rate in two different directions to help provide even distribution.
- Refer to Millborn's Turf Guide for seeding rate.

- Keep the soil moist for the first 21 days.
- Decrease frequency and increase the duration used once the grass has emerged.

OVERSEEDING EXISTING LAWNS

PREPARE THE LAWN

 Mow the lawn to a short height and remove the clippings.

PLANT MILLBORN SEED

 Slit seed at ¹/2" deep at a half rate in two different directions to help provide even distribution.

OR

- Shallow core aerate
 2–3 times.
- Broadcast seed at a half rate in two different directions to provide even distribution.

APPLY FERTILIZER

- Apply a fertilizer such as Millborn's slow release
 24-05-10 or Sustane[®] 8-2-4.
- Roll pack 1 time.



Water 4–7 times per week for the first 4–6 weeks.

GK ELITE[™]


GK Elite™ is the best of the best! The GK stands for Grounds Keeper, because even the most selective turf managers use GK Elite. This mix is most commonly used on sports fields and highly maintained lawns. It is a mixture of Elite Kentucky Bluegrasses that are extremely disease resistant and traffic tolerant, especially when irrigated. The rhizomatous growth pattern of the Kentucky Bluegrass plant means that this turf has the ability to fill in bare spots as damage occurs. This extremely tough mix stands up to the rigors of competition and its deep blueish-green color is highly attractive.

Cost: \$\$\$ Maintenance: High Seeding Rate: 4 lbs per 1,000 sq. ft Establishment Rate: 21–28 days



80% ELITE KENTUCKY BLUEGRASS R 20% FINE-LEAF PERENNIAL RYEGRASS ^B

R = RHIZOMEB = BUNCH






DELUXE INTERSEEDER™

Deluxe Interseeder[™] is the perfect solution for a lawn or sports field that has become thin and unhealthy due to poor care, poor genetics or wear and tear. Deluxe Interseeder was developed to revitalize existing damaged turf by introducing seed with elite genetics to improve overall turf appearance and performance.


Cost: \$\$\$

Maintenance: High Seeding Rate: 5–6 lbs per 1,000 sq. ft Establishment Rate: 14–28 days



60% KENTUCKY BLUEGRASS ^R 40% FINE-LEAF PERENNIAL RYEGRASS ^B





TOUGH PLAY[™] & TOUGH PLAY RTF[™]

Tough Play[™] is a Tall Fescue mix that is equally durable and attractive. Tall fescue requires less water and fertilizer than Kentucky Bluegrass to reach its full potential. This mix is available in two forms — standard Tough Play and Tough Play RTF[™]. Standard Tough Play is a lush turf suited for lawns and sports fields. Tough Play RTF improves upon the standard by adding Rhizomatous Tall Fescue varieties. The rhizomes allow the turf to self-heal and fill in damaged spots. Tough Play RTF also includes varieties that are approved by the Turfgrass Water Conservation Alliance (TWCA).

R = RHIZOME


B = BUNCH

Cost: \$\$\$

Maintenance: Medium **Seeding Rate:** 8–9 lbs per 1,000 sq. ft **Establishment Rate:** 14–21 days




90% ELITE TALL FESCUE ^B (STANDARD), B+R (RTF) 10% ELITE KENTUCKY BLUEGRASS ^R



QUALITY SUN & SHADE[™]

Quality Sun & Shade[™] is our most popular turf mix. It is the go-to mix for lawns because of its durable and long-lasting quality. The formulation of this mix is what makes it perfect for any situation. If you're looking for an affordable, high quality, easy to care for lawn, this is the perfect mix for you.



LANDSCAPER'S BLEND™

Landscaper's Blend[™] is an economical version of the highly popular Quality Sun & Shade. The combination of fescue, ryegrass, and bluegrass results in a turf that will stand up to the hottest summer and the harshest winter in both sunny and shady areas of your lawn.


R = RHIZOME B = BUNCH

Cost: \$

Maintenance: Low to Medium **Seeding Rate:** 5–6 lbs per 1,000 sq. ft **Establishment Rate:** 14–28 days



40% KENTUCKY BLUEGRASS ^R 30% FINE-LEAF PERENNIAL RYEGRASS ^B 30% CREEPING RED FESCUE ^R




FAIRGROUNDS™


Fairgrounds[™] is a cross between a field and turf mix that is very hardy and extremely drought tolerant. This mix can be used for lawn turf, tree belts, out-building and other non-irrigated areas. Fairgrounds matches closely with older seedings to help with patching and repair of older lawns.

Cost: \$

Maintenance: Low Seeding Rate: 2 lbs per 1,000 sq. ft Establishment Rate: 14–21 days




25% KENTUCKY BLUEGRASS ^R 20% FINE-LEAF PERENNIAL RYEGRASS ^B 20% CREEPING RED FESCUE ^R 20% FAIRWAY CRESTED WHEATGRASS ^R 15% TURF TYPE TALL FESCUE ^B



SUPREME SHADE[™]

Supreme Shade[™] is for those areas that are mostly in shade or transition. Supreme Shade, is your best bet for getting turf to establish in the shadiest areas of your property. A minimum of three to four hours of filtered sunlight is necessary for even the best turf to survive.




HEARTLAND[™]


Heartland[™] is a blend of hearty and durable grasses that is very drought and shade tolerant, grows well in most soil types, and provides a nice looking turf. Heartland works well around the house, at your cabin in the hills or anywhere a durable low maintenance lawn is desirable.

Cost: \$\$

Maintenance: Low Seeding Rate: 5–6 lbs per 1,000 sq. ft Establishment Rate: 14–28 days



35% CREEPING RED FESCUE ^R 15% HARD FESCUE ^B 15% SHEEPS FESCUE ^B 15% KENTUCKY BLUEGRASS ^R 10% KENTUCKY + TEXAS BLUEGRASS ^R 10% PERENNIAL RYEGRASS ^B



BOULEVARD BLEND[™]


Boulevard Blend[™] is designed to stand up to the harsh, salty conditions that may exist on boulevards, near parking areas and anywhere that may be exposed to ice melt salt.

Cost: \$\$

Maintenance: Medium **Seeding Rate:** 6–7 lbs per 1,000 sq. ft **Establishment Rate:** 14–28 days



20% KENTUCKY BLUEGRASS ^R 20% FINE-LEAF PERENNIAL RYEGRASS ^B 20% CREEPING RED FESCUE ^R 20% SALTY ALKALIGRASS ^B 20% CHEWINGS FESCUE ^B



EZ LAWN™

EZ Lawn[™] is a "No Mow" mix that requires little maintenance and results in a nice looking turf. The fine leaves of the fescue grasses create a soft turf with a natural, wispy appearance. This mix is tough and drought tolerant. Because of its slow growth and adaptable traits, it is often seen in both its natural and mowed condition on golf courses. When left unmown this mix can reach 12" and will lay over creating a natural wispy look.

Cost: \$

Maintenance: Low to Medium **Seeding Rate:** 6–7 lbs per 1000 sq. ft **Establishment Rate:** 21–28 days

25% CHEWINGS FESCUE ^B 25% HARD FESCUE ^B 25% SHEEPS FESCUE ^B 25% CREEPING RED FESCUE ^B




GREAT PLAINS™


Great Plains[™] is a mixture of cool and warm-season grasses to keep the turf green all season. Once established, this lighter colored turf is very low maintenance and is a "no mow" option. It's perfect for low fertility areas and in place of a Buffalograss lawn.

Cost: \$\$\$

Maintenance: Low Seeding Rate: 4 lbs per 1,000 sq. ft Establishment Rate: 21–28 days



25% CHEWINGS FESCUE ^B 25% SHEEPS FESCUE ^B 25% HARD FESCUE ^B 10% BLUE GRAMA ^B 10% ANNUAL RYEGRASS ^B 5% BUFFALOGRASS ^S



DEVELOPER'S MIX[™]


Developer's Mix[™] is a perfect low cost solution for new developments where the most important attributes are green cover, low maintenance, quick establishment and erosion control. This perennial mix will continue to come back, but quality will begin to diminish after 3–5 years.

Cost: \$

Maintenance: Low Seeding Rate: 2–4 lbs per 1,000 sq. ft Establishment Rate: 7–14 days



25% CREEPING RED FESCUE ^B 20% OATS ^B 20% ANNUAL RYEGRASS ^B 15% PERENNIAL RYEGRASS ^B 10% CHEWINGS FESCUE ^B 10% KENTUCKY BLUEGRASS ^S




ULTIMATE SPORTS MIX™

This blend of elite kentucky bluegrass will stand up to the rigors of sports and will look great. It will perform best with regular irrigation and fertilizer applications.

100% KENTUCKY BLUEGRASS R

R = RHIZOME


Cost: \$\$\$ Maintenance: Low Seeding Rate: 4 lbs per 1,000 sq. ft Establishment Rate: 21–28 days



PREMIUM TALL FESCUE

Tall Fescue is a highly-durable, medium-bladed bunch grass that creates a thick, lush turf. Tall Fescue requires less water and fertilizer than other turf species but performs best with some irrigation in the hot, dry summer months.

100% PREMIUM TALL FESCUE B



B = BUNCH

Cost: \$\$\$ Maintenance: Low Seeding Rate: 8–10 lbs per 1,000 sq. ft Establishment Rate: 14–21 days



EROSION CONTROL PRODUCT GUIDE

Millborn's complete line of erosion control products helps protect your investment in seed as well as preventing erosion within and around your project.

PRODUCTS	DESCRIPTION
Erosion Control Blankets	Curlex Erosion Control Blankets from American Excelsior are made with aspen wood excelsior and provides the best erosion protection and germination aid of any erosion blanket material available. Erosion Control Blankets are a temporary solution commonly applied to slopes, ditches, outlets, riverbanks and anywhere seeding failure is not an option.
Turf Reinforcement Mats	Recyclex Turf Reinforcement Mats work with vegetation to develop a matrix that can stand up to repeated significant water events. The 100% post-consumer recycled plastic fibers are crimped and curled to interlock, resulting in a permanent, durable solution for ditches and channels.
Hydro Mulch	Hydro Mulches from MAT Inc. are available in a variety of formulations to meet the needs of any project. Wood or paper mulches such as MAT Fiber Plus are used for vegetation establishment while Soil Guard BFM and Flex Guard FRM are used for erosion control.
Soil Stabilizers and Tackifiers	Soil stabilizers and tackifiers can be granular, liquid or powder. The granular products such as PAM 12 Plus can be applied with a broadcast spreader or with hydroseeding equipment. Liquid and powder soil stabilizers are applied with hydroseeding equipment.
Silt Fence and Fabrics	High flow and low flow silt fences commonly used for perimeter control are available in 1,000' rolls. Landscape fabric, separation and reinforcement fabrics are available to meet the needs of any project.
Sediment Logs and Wattles	Curlex Sediment logs and compost or straw wattles are commonly used as ditch checks, slope interrupters, inlet protection and perimeter control. Sediment logs work by slowing and filtering water while wattles work by stopping water for sediment to drop out of the flow.
Inlet Protection	Top Guard inlet protectors by ERTEC are made to be easy to install and maintain while minimizing risk to both employees and employers. Options are available for combination, curb and area inlets in a variety of sizes. Rock logs are also available.
Stakes, Staples and Accessories	Millborn Seeds carries staples for erosion control blankets and turf reinforcement mats, stakes for sediment logs and wattles and other accessories.



The numbers denote the percent of each nutrient within the mix. For example, this mix will have 24 lbs of nitrogen, 5 lbs of phosphorous, and 10 lbs of potassium for every 100 lbs of this fertilizer.

NITROGEN

Nitrogen encourages above ground growth and overall plant health. When your turf has the right amount of nitrogen, it will have a rich, deep green color.

PHOSPHORUS

Phosphorus is essential in the development of a healthy root system.

POTASSIUM

Potassium helps strengthen plants' abilities to resist disease while improving overall quality and protects the plant when the weather is cold or dry.

4 STEP FERTILIZER GUIDE

EARLY APRIL EARLY MAY

1. CRABGRASS PREVENTER | 18-0-6 WITH DIMENSION®

Application Dates: Early April to Early May

Apply when soil temperature reaches 50°–52°. Helps prevent crabgrass and other annual grasses from invading your lawn while promoting spring growth of lawns.

2. WEED & FEED | 22-0-5 WITH TRIMEC®

MID MAY JUNE **Application Dates:** 4–8 weeks after Step 1 Apply early in the morning when blades of grass are wet or irrigate prior to application for best performance. Provides control of broadleaf weeds and nutrients to support plants through this active part of the growing season.

3. TURF BUILDER | 24-5-10 OR 29-0-3

LATE JUNE	
EARLY AUG	

Application Dates: 6–10 weeks after Step 2

Turf Builder provides slow release nitrogen for the long summer months and has an excellent greening effect on the lawn. Provides enough nutrients for 10–12 weeks. Works best when watered in lightly.



4. STARTER/WINTERIZER | 13-13-13

Application Dates: 10–12 weeks after Step 3 Puts your lawn in tip top condition going into the long winter months. Can also be applied to new seedings anytime during the growing season.

CHEMICAL + FERTILIZER PRODUCT GUIDE

FERTILIZER PRODUCTS	PACKAGE	COVERAGE	DESCRIPTION
18-0-6 w/Dimension®	50 lb bag	9,000 sq. ft	 Spring applied fertilizer Prevents growth of crabgrass while feeding your lawn Used on any established turf areas
22-0-5 w/Trimec [®]	50 lb bag	12,500 sq. ft	 Weed and feed fertilizer Slow release nitrogen Added Trimec for control of broadleaf weeds
24-5-10	50 lb bag	12,000 sq. ft	 > 50% slow release component > Will last up to 12 weeks > Can be applied throughout the growing season
13-13-13	50 lb bag	6,500 sq. ft	 Balanced starter/winterizer fertilizer Great for new seedings and preparing lawn for winter Lasts 6 weeks
Milorganite ®	50 lb bag	3,000 sq. ft	 Organic, slow-release fertilizer Safe for turf, gardens, plants and trees Can be applied any time of the year
Gypsum Super Cal 04	50 lb bag	3,000 sq. ft	 Best used cultivated and mixed into clay or heavy soils Used to relieve compaction in heavy soils of established lawns
Sustane [®] 4-6-4 Sustane [®] 4-4-4	50 lb bag	4,000 sq. ft	 6–8 week product, applied throughout the growing season Adds organic matter to the soil
Sustane [®] 8-2-4	50 lb bag	4,000 sq. ft	 Slow-release nitrogen fertilizer Promotes a rapid rate of vegetative establishment Quick ground cover minimizes soil erosion

HERBICIDE PRODUCTS	PACKAGE SIZE	DESCRIPTION
SpeedZone [®]	20 ounce container 2.5 gallon container	 SpeedZone herbicide starts visually deteriotating broadleaf weeds such as clover, dandelion, ground ivy and spurge within a matter of 24 hours. Weed death typically occurs from 7 to 14 days. It is great to use for residential lawns, golf courses and commercial properties.
Tenacity [®]	8 ounce container	This herbicide is the most effective treatment for crabgrass and controls more than 46 broadleaf weed and grassy weeds. When used as a pre-emergent, it will prevent crabgrass and other weeds from germinating. As a post-emergent, it will eliminate seedlings of unwanted weeds and grasses.



COMMERCIAL

Commercial projects come with all kinds of challenges — tight deadlines, fixed budgets and complex specifications to name a few.

Millborn's robust product line-up combined with expert knowledge from our specialists simplifies your project and helps you and your project be successful.



MILLBORN DIFFERENCE

COMMERCIAL SPECIALIST

When you collaborate with Millborn Seeds, you benefit from having the expertise, insight, and overall caring approach from a Commercial Specialist. This helps identify potential pitfalls within the project as well as helps solidify the most intelligent approach and products.

LUNCH & LEARN OPPORTUNITIES

Whether you want an in-house presentation or wish to join one of the scheduled Lunch and Learn events, Millborn is dedicated to educating fellow professionals on the ever changing commercial products marketplace.

ONSITE CONSULTATION

To help your project remain on target, Millborn's Commercial Specialists are ready and able to mobilize. This allows you to stay focused on your tasks at hand on the job site.

PRE-CONSTRUCTION CONSULTATION

There is no substitute for formulating an intelligent pre-construction plan. We've learned that part of the magic in this process is involving the right people into the early stages of the discussions. Millborn's Commercial Specialists offer a team-based perspective in the planning stages of your project.

STANDARD MIXES

Millborn's line up of turf, DOT, and specialty native mixes are formulated to fit the most demanding growing conditions. Over thirty years of learning the ever-changing commercial and construction marketplace helps keep our grass seed products and solutions at the top of the industry.

1,000+ SPECIES ON HAND

With one of the most diverse and in depth inventories of seed on the planet, you can trust that if your needs are urgent, Millborn is ready to deliver.

CUSTOM MIXES

It's how we started. And it's how we continue to bring the most on-target seed solutions to our clients. One custom built solution after another, Millborn understands the unique demands across different industries. We're ready to help formulate a custom mix to fit your exact project needs.

BLENDED ON DEMAND

To help give you the assurance that "when you're ready, we'll be ready," Millborn offers one of the industry's most in depth and diverse grass seed inventory. When others may need weeks to complete your order, Millborn Seeds gets it done in a matter of days, if not hours.

QUALITY

We seek out leaders in the grass seed growing business. Leaders who also value integrity. That way we can all benefit. Whatever it says on our label is what's inside the bag — guaranteed. And we put our money where our claim is. We conduct precise and thorough testing on all our seed, ultimately delivering you only the highest quality seed.

COMMERCIAL PRODUCT GUIDE

PRODUCTS	DESCRIPTION
Erosion Control Blankets	Millborn offers Curlex [®] Blankets from American Excelsior. These wood fiber blankets are made from aspen excelsior fibers that are curled and barbed to help hold onto the soil. These blankets are commonly applied to channel and ditch linings, slopes, culverts, and outfalls. Erosion control blankets are generally classified as temporary erosion control intended to hold everything in place until vegetation is established. Erosion control blankets can also be used on sensitive seeding projects where failure is not an option. The moisture holding properties of the wood fibers create a greenhouse effect which provides a terrific environment to get your grass started.
Turf Reinforcement Mats	Millborn offers Recyclex® Turf Reinforcement Mats from American Excelsior. These mats are made from 100% post-consumer recycled materials. These plastic fibers are more than 5" long and crimped to create a strong interlocking fiber matrix. Turf Reinforcement Mats (TRM) are a permanent erosion control solution. The plastic fibers, soil and root system work together to create a turf that will stand up to concentrated flows.
Sediment Logs and Wattles	What's the difference? Curlex sediment logs are filled with wood excelsior fibers that slow water flows and filters particles. Straw Wattles are filled with straw which will slow water, but instead of filtering, holds the water for sediment to settle out. Both of these products work well for perimeter controls and ditch checks although the straw wattles require more labor to installed properly.
Silt Fence	Both High Flow and Low Flow Silt Fence is available. Silt fence is typically used for perimeter control of silt and sediment.
Nurse Crops	Nurse Crops are an annual grain or grass used to prevent erosion and assist in the establishment of your primary grass planting. The species and application rate will vary from one project to another, but the basic principles apply across the board. Using nurse crops is typically the least expensive method of erosion control. Although admittedly not as effective as other methods, it offers great value, especially on large sites.
МусоАрріу	MycoApply Super Concentrate-10 is a powedered material containing mycorrhizal fungi that colonize roots and extend into the surrounding soil. Incorporating Myco greatly increases the root's ability to absorb water and nutrients, while improving plant survival, vigor and health.
Fertilizers	Millborn offers proven, effective fertilizers to help kickstart your vegetation towards healthy establishment and maintenance of existing vegetation.

COMMERCIAL PRODUCTS AVAILABLE FOR ALL 50 STATES.

PRIVATE



PRODUCTS	DESCRIPTION
Hydromulch	Millborn carries a complete line of MAT Inc. Hydromulch products. Hydromulch can include paper and wood and can be used with or without tackifier.
Mat Fiber and Mat Fiber Plus	These are 100% wood fiber hydraulic planting mulches. Their long fibers interlock and cling to the soil, forming a protective web-like network that holds seed and soil in place. MAT Fiber Plus is rated for slopes up to 2.5:1.
Spray Guard (SMM)	A Stabilized Mulch Matrix for use on any type of soil with moderate slopes. This formulation aids plant development and prevents erosion for slopes up to 3:1.
Soil Guard	A hydraulically applied Bonded Fiber Matrix conforms to the ground as it dries and will hold soil and seed in place. The wood fibers hold moisture to reduce the amount of watering required for plant germination. Soil Guard can provide protection on slopes up to 1:1.
 Flex Guard (FRM) A Fiber Reinforced Matrix designed with wood fibers, synthetic fibers and soil-bonding agent immediate, effective erosion protection on challenging terrain. This formula maintains fiber lof impact resistance from heavy rains, air circulation and provides moisture retention that promogermination. 	
Soil Stabilizer	Millborn offers PAM 12 plus psyllium based tackifiers. All of these can be used to meet Soil Stabilizer specification. PAM 12 is dry applied mulch with tackifier that provides some protection from erosion while holding moisture to promote plant growth. Spec Tack and the psyllium based tackifiers are applied with hydromulching equipment.
Custom Seed Mixes	Millborn Seeds has the inventory, expertise and facilities to develop a seed mix to meet any specification or project requirement.



SWEET CORN PRODUCT GUIDE

PREMIUM GRADE	DAYS TO MATURITY	KERNEL COLOR	QUALITIES
Ambrosia	75	Bi-color	Ambrosia is a bi-color, 8-inch ear known for its superior eating quality. Ambrosia has amazing seedling vigor and fast early growth while still having high tolerance to Stewart's wilt. This mid-day variety is a homozygous sugary enhancer. A little salt and butter and you've just made Ambrosia the highlight of your BBQ.
Bodacious RM	75	Yellow	Bodacious RM is your mainstay for a consistent product that you need come August. This popular yellow corn will give you a sturdy 8-inch ear that will be dependable for your roadside stand or local market. With disease resistance to Common Rust, Maize Dwarf Mosaic, and Stewart's Wilt, you can count on Bodacious to fill an ear every year.
Delectable	84	Bi-color	Delectable will be your top seller when you show up to the farmer's market! Delectable is bi-color, with large well-filled ears and deep dark green husks. Tenderness and taste will keep your customers coming back. With resistance to Common Rust, Stewart's Wilt, and Northern Corn Leaf Blight, you can be at ease about producing a crop.
Sweetness	72	Bi-color	Sweetness will allow you to be the first to impress your neighbors with that gift of sweet corn this summer.
Incredible	85	Yellow	Incredible is the most poplar, gourmet homozygous sugary enhanced sweet corn in the world. This yield topper has beautiful tight kernels that will explode with sweetness at every bite. It is disease resistant to Common Rust, Maize Dwarf Mosaic, and Stewart's Wilt.



STAY CONNECTED.

MILLBORN SEEDS, INC. -

2132 32nd Avenue Brookings, SD 57006 605.697.6306



MILLBORN SEEDS, INC. RAPID CITY

12040 J B Road Black Hawk, SD 57718 605.646.4225



888.498.7333 MILLBORNSEEDS.COM INFO@MILLBORNSEEDS.COM





As long as the Earth endures, seedtime and harvest, cold and heat, Summer and Winter, day and night will never cease. Gen 8:22

Indeed, the Lord will give what is good, and our land will yield its produce. Ps 85:12

MILLBORNSEEDS.COM | 888.498.7333