Job Sheet for Seeding									
			_		_				
Planned by:	MO Mix 13 CP4D		Date:		County:				
Client:		Tro et/a).	Address:	Cialda		CINI#.			
Farm(s):	1.00	Tract(s):		Fields:		CIN#:			
Acres: Primary / Cost-shared FOTG Pra		Program: Wildlife Habitat Planting	g (420)	Secondary FO	TC Practice:				
Primary Purpose of Seeding:	ocuce.	Whalle Habitat Hariting	g (420)	Secondary I O	TO Fractice.				
Site Soil Group:			OR Ecolo	gical Site:					
Additional Information:			2.1 200.0	9.04. 0.0.					
Current Conditions:	Seedbo	ed Preparation	for Grass and	/or Forb/Le	egume Seed	ding			
Conditions Desired at Planting:	a pollinator forb only Suppressed existing	n; for example from intro planting)	oduced cool season gr	asses to native wa	r native forbs on I	natural communities	on grasses to		
Seed Mix Contains:	Cool Season Grass	es (majority) Wa	arm Season Grasses (n	najority)	Native Forbs	Native/Introduc	ced Legumes		
Planting Method:		Interseeding:		Season:			J		
Acceptable Planting Dates:		Optimal Planti	ing Dates:						
Seed Placement: Additional Instructions:									
Fertilizer and Lime									
Planned									
Program rules and/or plann and/or fertilizer). Apply fert Program rules and/or plann and/or fertilizer). Apply fert Program rules and/or plann (as for constructed fills and	ned practice(s) do not required practices require soil a tilizer and/or lime accordinated practices require soil a	mendments be applied a	according to a recent adations as indicated b	soil test (less than below.	4 years old and a	after the most recent			
Soil Test Recommendations Salt pH from soil test results:		lbs/ac Total Needed	Lime* N Not req. 0	P ₂ O ₅ K ₂ O					
Blanket rates for constructed fills current soil test is not availab		lbs/ac Total Needed	#N/A #N/A		3				
What legumes are included in the	e seed mix?	ne Alfalfa Co	ool Season Legumes o	ther than Alfalfa	Warm S	eason Legumes			
When to apply lime:									
When to apply fertilizer:	No fertilizer will be applie	d. Soil nutrients are with	in ranges required for	the planned speci	ies that will be pla	inted.			

U.S. Department of Agriculture Natural Resources Conservation Service

Revised 9/2017

	•					
Additional Information:						
	-					
						
Companion Crop Specifications						
A companion crop may be establis The companion crop will be select				nd/or legumes.		
Planned Companion Crop:	None Planned Redt	op Spring Oats	Winter Wheat	Rate per Acre (lbs):	Total Bulk Lbs to Seed:	
Additional Information:						
Applied						
Companion Crop Planted:			To	tal Lbs Lbs/Ac		
Redtop Spring	Oats Winter Wheat		Bulk Lbs Planted:	0.0		

Seeding Mix Summary												
Acres to be Seeded:	1.00	-										
Practice Adjustment Factor:		_	Broadca	st Adjustme	ent Factor:		.	Intersee	ding Adjus	tment Factor:	1	.
Apply Adjustment Factors to:						IDI 1						
Planned Seed Mix			_	Seed Mix F	Purchased	and Plante	ea					
Species	Acceptable Cultivar(s)	PLS lbs/ac	Total PLS	Bulk lbs Seeded	% Purity	% Germ	% Dormant/ Hard Seed	PLS lbs Planted	Shortage/ Excess	% of Mix	Cultivar OR Origin for MO Source Identified Class Seed	Meets all Require- ments
Little Bluestem, Schizachyrium scoparium	Aldous (statewide), Camper (north MO), Cimarron (south MO - sandy sites only), Ozark (statewide), Yellow Tag (statewide)	2.555	2.555						-2.555			
Sideoats Grama, Bouteloua curtipendula	Butte (north MO), El Reno (statewide), Trailway (statewide), Yellow Tag (statewide)	2.750	2.750						-2.750			
Alfalfa, Medicago sativa		0.770	0.770						-0.770			
Black-eyed Susan (B), Rudbeckia		0.050	0.050						-0.050			
hirta Canada Milkvetch, Astragalus		0.015	0.015						-0.015			
canadensis Common Evening Primrose (B),		0.020	0.020						-0.020			
Oenothera biennis False Sunflower, Heliopsis		0.050	0.050						-0.050			
helianthoides Foxglove Beardtongue,												
Penstemon digitalis		0.025	0.025						-0.025			
Golden Alexanders, Zizia aurea		0.080	0.080						-0.080			
Gray Goldenrod, Solidago nemoralis		0.020	0.020						-0.020			
Gray-headed Coneflower, Ratibida pinnata	Available: Sunglow (statewide)	0.059	0.059						-0.059			
Illinois Bundleflower, Desmanthus illinoensis	Available: Reno Germplasm (statewide)	0.150	0.150						-0.150			
Lanceleaf Coreopsis, Coreopsis lanceolata		0.100	0.100						-0.100			
Maximilian Sunflower, Helianthus		0.011	0.011						-0.011			
maximiliani Pale Purple Coneflower,												
Echinacea pallida		0.030	0.030						-0.030			

Partridge Pea (A), Chamaecrista fasciculata	Available: Riley (statewide), Lark Selection (statewide)	0.100	0.100					-0.100		
Prairie Cinquefoil, Drymocallis arguta		0.010	0.010					-0.010		
Purple Coneflower, Echinacea purpurea		0.150	0.150					-0.150		
Purple Prairie Clover, Dalea purpurea	Available: Kaneb (statewide)	0.128	0.128					-0.128		
Rattlesnake Master, Eryngium yuccifolium		0.020	0.020					-0.020		
Roundhead Lespedeza, Lespedeza capitata	Available: Kanoka (statewide)	0.020	0.020					-0.020		
Showy Ticktrefoil, Desmodium canadense	Available: Alexander Germplasm (statewide)	0.040	0.040					-0.040		
Smooth Aster, Symphyotrichum laeve		0.010	0.010					-0.010		
Stiff Goldenrod, Oligoneuron rigidum, Solidago rigida		0.010	0.010					-0.010		
Upright Prairie Coneflower, Ratibida columnifera		0.100	0.100					-0.100		
White Prairie Clover, Dalea candida		0.010	0.010					-0.010		
Wild Bergamot, Monarda fistulosa		0.045	0.045					-0.045		
	Total Planned:	7.328	7.328							
Planned Grasses PLS/ft ²	24.17				Total PLS	S lbs. Forbs	s Planted:			
Planned Forbs/Legumes PLS/ft ² :										

Customer and Seed Dealer Please Note:

Planned Total PLS/ft²:

40.18

Only viable, high quality and adapted seed will be used. All seed shall have a current seed test within 10 months of the planting date that lists germination, purity, and hard seed as a percentage for determining pure live seed and lists the percent of weed seed present that meets State seed quality law standards. Seed test results must be provided to the customer and USDA for confirmation that seed planted meets specifications outlined in this plan. Seed must be clean and relatively free of weed seed and contaminants. Seed that has become wet, moldy, or otherwise damaged in transit or storage is not acceptable. Certified seed is preferred but not required unless Missouri Source Identified Class Seed, or yellow tag, is denoted as being required.

% of mix of annual/biennial species:

Legume seed shall be inoculated with the proper, viable Rhizobium bacteria species prior to planting according to Missouri Agronomy Technical Note MO-36, "Legume Inoculation." Pre-inoculated seed shall be planted prior to the expiration date on the inoculum tag or be re-inoculated with the appropriate inoculum within 24 hours prior to seeding. Inoculated seed will not be exposed to direct sunlight. Inoculation of legumes may be waived when a current pasture inventory (JS-AGRON-24 or similar inventory) shows that the legume species to be seeded occupies more than 5 percent of the vegetative cover on the site prior to seeding.

For "Acceptable Cultivar(s)," north Missouri (MO) is all counties north of Bates, Henry, Benton, Morgan, Moniteau, Cole, Osage, Gasconade, Franklin, and St. Louis Counties. South Missouri is all counties including and south of those listed. Refer to Native Cultivars or Selections Information Sheet (IS-MO723N) for guidance on selecting the appropriate native grass cultivars to meet objectives. In all cases where a cultivar(s) is/are noted under the Acceptable Cultivar(s) heading above, Missouri Source Identified Class Seed (yellow tag seed) may be used instead of a cultivar variety or selection.

The following information applies only if "Locally adapted Missouri Source Identified Class Seed (yellow tag) required" is shown under the "Acceptable Cultivar(s)" heading above: Locally adapted Missouri Source Identified Class Seed, or yellow tag, is defined as a native plant that source genetically originated in Missouri, was not introduced, and existed within the state borders prior to arrival of settlers. All seed from herbaceous material shall comply with Missouri seed laws including Missouri Crop Improvement Association guidance. All seed will comply with AOSCA (Association of Official Seed Certifying Agencies) certification procedures (including appropriate tagging) to include third-party verification by the Missouri Crop Improvement Association of source, genetic identity, and genetic purity of wildland collected or field or nursery grown plant germplasm materials. Seed must be Missouri origin (grown in Missouri) and certified as Missouri Source Identified Class. Source Identified Certification means: parent seed is collected from natural remnant Missouri populations; no selection, testing, or breeding for specific traits; production fields are inspected to verify species, source, and lack of noxious weeds; and seed is certified for purity and germination. If Missouri origin (grown) source identified class seed is not available, Missouri source identified class seed may be obtained from adjoining states.

Mulching Specifications (After Grass Seeding)									
Type of Mulch Required: None	Straw, Grass Hay, Alfalfa Hay - 1 1/2 to 2 1/2	Tons/Acre							
Amount of Mulch Required for This Site:									
Minimum Rate (lbs): 3,000	OR Tons: 1.50	Maximum Rate (lbs): 5,0	00 OR Tons	s: 2.5					
Additional Information: n/a									
Applied									
Type of Mulch Used:									
Number of Bales:	Bale Weight, lbs:	Mulch Applied, Tons:	Exces	ss/Shortage, Tons:					
Based on the information in this job sheet, all requirements for this seeding should be completed by:									
Was site prep completed as outlined	d above?	<u></u>	<u> </u>	_					
Seeding was completed on	according to the above requireme	ents.							
(Date)	·								
Producer's or Contractor's S	ignature	Date							
For NRCS Use Only:									
Does this seeding meet all NRCS standards and specifications and was implemented as planned above?									
Certified by:									
NRCS Represe	Date	Field Office							
Additional Comments:	Additional Comments:								
When seeding is completed, return seeding plan to the Natural Resources Conservation Service with all receipts pertaining to this seeding (seed, fertilzer, lime, mulch, companion crop, labor, drill rental, etc.) and seed tests, including tags for yellow tag seed.									