Job Sheet for Seeding											
Planned by:	MO Mix 17 CP42		Date:		County:						
Client:		Tre et/a).	Address:	Fields.		CINI#					
Farm(s):	1.00	Tract(s):		Fields:		CIN#:					
Acres: Primary / Cost-shared FOTG Pra		Program: Wildlife Habitat Planting	7 (420)	Secondary FC	OTC Practice:						
Primary Purpose of Seeding:	ouce.	Whalle Habitat Harting	g ( <del>420)</del>	Secondary i C	or or ractice.						
Site Soil Group:			OR Ecolo	gical Site:							
Additional Information:			2.00.0	g.ca. C							
Current Conditions:	Seedbo	ed Preparation	for Grass and	/or Forb/Le	egume See	eding					
Conditions Desired at Planting:	a pollinator forb only  Suppressed existing	n; for example from intro planting)	oduced cool season gr	asses to native wa	or native forbs on	es or from warm seas					
Seed Mix Contains:	Cool Season Grasse	es (majority) Wa	arm Season Grasses (n	najority)	Native Forbs	Native/Introdu	iced Legumes				
Planting Method:		Interseeding:		g Season:			J				
Acceptable Planting Dates:		Optimal Planti	ing Dates:		-						
Seed Placement: Additional Instructions:											
Fertilizer and Lime											
Planned											
Program rules and/or plann and/or fertilizer). Apply fert Program rules and/or plann and/or fertilizer). Apply fert Program rules and/or plann (as for constructed fills and	ned practice(s) do not required practices require soil a illizer and/or lime accordined practices require soil a	mendments be applied a	according to a recent idations as indicated b	soil test (less than pelow.	n 4 years old and	after the most recent					
Soil Test Recommendations Salt pH from soil test results:		lbs/ac Total Needed	Lime* N  Not req. 0	P <sub>2</sub> O <sub>5</sub> K <sub>2</sub> O							
Blanket rates for constructed fills current soil test is not available		lbs/ac Total Needed	#N/A #N/A		3						
What legumes are included in the	e seed mix?	ne Alfalfa Co	ool Season Legumes o	ther than Alfalfa	Warm	Season Legumes					
When to apply lime:											
When to apply fertilizer:	No fertilizer will be applied	Soil nutrients are with	in ranges required for	the planned spec	cies that will be pl	lanted.					

## U.S. Department of Agriculture Natural Resources Conservation Service

Revised 9/2017

i.						
Additional Information:						
		· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·	
Companion Crop Specifications						
A companion crop may be establis The companion crop will be selected				d/or legumes.		
Planned Companion Crop:	None Planned	Redtop Spring Oats	Winter Wheat	Rate per Acre (lbs):	Total Bulk Lbs to Seed:	
Additional Information:						
Applied						
			·			
Companion Crop Planted:				al Lbs Lbs/Ac		
Redtop Spring	Oats Winter Wh	eat	Bulk Lbs Planted:	0.0		

Seeding Mix Summary												
Acres to be Seeded:	1.00											
Practice Adjustment Factor:			Broadca	st Adjustme	ent Factor:		-	Intersee	ding Adjus	tment Factor:	1	_
Apply Adjustment Factors to:												
Planned Seed Mix				Seed Mix F	Purchased	and Plante	d					
Species	Acceptable Cultivar(s)	PLS lbs/ac	Total PLS lbs Needed	Bulk lbs Seeded	% Purity	% Germ	% Dormant/ Hard Seed	PLS lbs Planted	Shortage/ Excess	% of Mix	Cultivar OR Origin for MO Source Identified Class Seed	Meets all Require- ments
Black-eyed Susan (B), Rudbeckia hirta		0.030	0.030						-0.030			
Blue Lobelia, Lobelia siphilitica		0.008	0.008						-0.008			
Canada Milkvetch, Astragalus canadensis		0.075	0.075						-0.075			
Common Evening Primrose (B), Oenothera biennis		0.020	0.020						-0.020			
False Sunflower, Heliopsis helianthoides		0.140	0.140						-0.140			
Foxglove Beardtongue, Penstemon digitalis		0.030	0.030						-0.030			
Golden Alexanders, Zizia aurea		0.075	0.075						-0.075			
Gray Goldenrod, Solidago nemoralis		0.044	0.044						-0.044			
Gray-headed Coneflower, Ratibida pinnata	Available: Sunglow (statewide)	0.148	0.148						-0.148			
Illinois Bundleflower, Desmanthus illinoensis	Available: Reno Germplasm (statewide)	0.150	0.150						-0.150			
Lanceleaf Coreopsis, Coreopsis lanceolata		0.157	0.157						-0.157			
Maximilian Sunflower, Helianthus maximiliani		0.011	0.011						-0.011			
Pale Purple Coneflower, Echinacea pallida		0.031	0.031						-0.031			
·	Available: Riley (statewide), Lark Selection (statewide)	0.130	0.130						-0.130			
Prairie Cinquefoil, Drymocallis arguta		0.019	0.019						-0.019			
Purple Coneflower, Echinacea purpurea		0.360	0.360						-0.360			
Purple Prairie Clover, Dalea purpurea	Available: Kaneb (statewide)	0.300	0.300						-0.300			
Rattlesnake Master, Eryngium yuccifolium		0.020	0.020						-0.020			
Roundhead Lespedeza, Lespedeza capitata	Available: Kanoka (statewide)	0.020	0.020						-0.020			
Showy Ticktrefoil, Desmodium canadense	Available: Alexander Germplasm (statewide)	0.040	0.040						-0.040			

Smooth Aster, Symphyotrichum laeve	0.020	0.020			-0.020		
Stiff Goldenrod, Oligoneuron rigidum, Solidago rigida	0.010	0.010			-0.010		
Upright Prairie Coneflower, Ratibida columnifera	0.110	0.110			-0.110		
White Prairie Clover, Dalea candida	0.097	0.097			-0.097		
Wild Bergamot, Monarda fistulosa	0.068	0.068			-0.068		
Yarrow, Achillea millefolium	0.008	0.008			-0.008		

	Total Planned: 2	2.121 2.121		
Planned Grasses PLS/ft <sup>2</sup> :	0.00		Total PLS lbs. Forbs Planted:	
Planned Forbs/Legumes PLS/ft <sup>2</sup> :	20.00		Total % of Mix:	
Planned Total PLS/ft <sup>2</sup> :	20.00		% of mix of annual/biennial species:	

## **Customer and Seed Dealer Please Note:**

Only viable, high quality and adapted seed will be used. All seed shall have a current seed test within 10 months of the planting date that lists germination, purity, and hard seed as a percentage for determining pure live seed and lists the percent of weed seed present that meets State seed quality law standards. Seed test results must be provided to the customer and USDA for confirmation that seed planted meets specifications outlined in this plan. Seed must be clean and relatively free of weed seed and contaminants. Seed that has become wet, moldy, or otherwise damaged in transit or storage is not acceptable. Certified seed is preferred but not required unless Missouri Source Identified Class Seed, or yellow tag, is denoted as being required.

Legume seed shall be inoculated with the proper, viable Rhizobium bacteria species prior to planting according to Missouri Agronomy Technical Note MO-36, "Legume Inoculation." Pre-inoculated seed shall be planted prior to the expiration date on the inoculum tag or be re-inoculated with the appropriate inoculum within 24 hours prior to seeding. Inoculated seed will not be exposed to direct sunlight. Inoculation of legumes may be waived when a current pasture inventory (JS-AGRON-24 or similar inventory) shows that the legume species to be seeded occupies more than 5 percent of the vegetative cover on the site prior to seeding.

For "Acceptable Cultivar(s)," north Missouri (MO) is all counties north of Bates, Henry, Benton, Morgan, Moniteau, Cole, Osage, Gasconade, Franklin, and St. Louis Counties. South Missouri is all counties including and south of those listed. Refer to Native Cultivars or Selections Information Sheet (IS-MO723N) for guidance on selecting the appropriate native grass cultivars to meet objectives. In all cases where a cultivar(s) is/are noted under the Acceptable Cultivar(s) heading above, Missouri Source Identified Class Seed (yellow tag seed) may be used instead of a cultivar variety or selection.

The following information applies only if "Locally adapted Missouri Source Identified Class Seed (yellow tag) required" is shown under the "Acceptable Cultivar(s)" heading above: Locally adapted Missouri Source Identified Class Seed, or yellow tag, is defined as a native plant that source genetically originated in Missouri, was not introduced, and existed within the state borders prior to arrival of settlers. All seed from herbaceous material shall comply with Missouri seed laws including Missouri Crop Improvement Association guidance. All seed will comply with AOSCA (Association of Official Seed Certifying Agencies) certification procedures (including appropriate tagging) to include third-party verification by the Missouri Crop Improvement Association of source, genetic identity, and genetic purity of wildland collected or field or nursery grown plant germplasm materials. Seed must be Missouri origin (grown in Missouri) and certified as Missouri Source Identified Class. Source Identified Certification means: parent seed is collected from natural remnant Missouri populations; no selection, testing, or breeding for specific traits; production fields are inspected to verify species, source, and lack of noxious weeds; and seed is certified for purity and germination. If Missouri origin (grown) source identified class seed is not available, Missouri source identified class seed may be obtained from adjoining states.

Mulching Specifications (After Grass Seed	ling)									
Type of Mulch Required: None	Straw, Grass H	lay, Alfalfa Ha	y - 1 1/2 to 2 1/	'2 Tons/Acre						
Amount of Mulch Required for This Site:										
Minimum Rate (lbs):	3,000	OR T	ons: 1.50	Maximum Rate	(lbs): 5,000	OR	Tons:	2.5		
Additional Information: n/a										
Applied										
Type of Mulch Used:										
Number of Bales:		Bale Weight	, lbs:	Mulch Applied, 7	Tons:		Excess/Sh	nortage, Tons:		
Based on the information in this job sheet,	Based on the information in this job sheet, all requirements for this seeding should be completed by:  Year:									
Was site prep completed as o	outlined above?									
Seeding was completed on		ording to the	above requirem	ients.						
	(Date)									
Producer's or Contrac	ctor's Signature			Date						
For NRCS Use Only:										
Does this seeding meet all NRCS standards	and specifications a	nd was imple	mented as plan	ned above?						
Certified by:										
NRCS Representative				Date		Fi	ield Office			
Additional Comments:										
When seeding is completed, return seeding plan to the Natural Resources Conservation Service with all receipts pertaining to this seeding (seed, fertilzer, lime, mulch, companion crop, labor, drill rental, etc.) and seed tests, including tags for yellow tag seed.										